

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701
Fax: 24024068 / 24023515
Website: <http://mpcb.gov.in>
E-mail: jdwater@mpcb.gov.in



Kalpataru Point, 2nd - 4th Floor
Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E)

BY RPAD/ Fax/ Hand/Delivery

1811000396

Ref. No. BO/JD(WPC) UAN No. 039363/Refusal/CC/B-

Date 06/11/2018

To,
M/s. Sharad SSK Ltd,
Gat No. S- 298,299,300,338,339,
Pratibhah Nagar,Vihamandva, Tal:
Paithan, Dist: Aurangabad

Sub – Refusal of Consent under section 27 of water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981

- Ref-** 1) Your Application received for Consent to first operate vide UAN No. 039363 dt 3.01.2018
2) Show Cause Notice Issued by Board vide letter dt. 13.06.2018
3) Minutes of Consent Committee Meeting held on 19.09.2018

.....

We refer to Application for grant of Consent to first Operate u/s 26 of the Water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and Hazardous Wastes & Other Waste (Management and Transboundary Movement) Rules, 2016.

AND WHEREAS Board office has issued Show Cause Notice vide letter dated 13.06.2018, as a) You have not provided Effluent Treatment Plant for treatment of trade effluent b) You have not installed Air pollution Control system as per CREP condition, c) you have not installed online monitoring as per CPCB directions, d) You have not paid adequate consent fees.

AND WHEREAS, you have not submitted /uploaded reply of show cause Notice issued by Board vide above ref. at Sr. No. (3).

AND WHEREAS, Your case was discussed in Consent Committee Meeting held on 19.09.2018. As per minutes of CC Meeting dt. 19.09.2018, Application for Consent to Operate is not approved and it was decided to issue final refusal of consent on following non compliances :

- (i) You have not provided effluent treatment plant for treatment of trade effluent
- (ii) You have not installed air Pollution control system as per consent conditions.
- (iii) You have not installed Online monitoring system as per CPCB dircetions.
- (iv) You have fail to pay additional consent fees . :2:

: 2 :

AND WHEREAS, as you have fail to submit reply of show cause notice and compliance of same viz non- Provision Effluent treatment Plant and Air pollution control system, not installed online monitoring system as per and inadequate consent fees, which shows your negligent attitude towards Environment Protection and compliance of consent conditions. As per Minutes of Consent Committee meeting of the Board held on 19/09/2018 your consent application is here by refused.

In view of the aforesaid non compliances, your application for grant of consent to Operate for renewal is hereby refused under section 27 of the Water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981.

For & behalf of the
Maharashtra Pollution Control Board,


(E. Ravendiran, IAS)
Member Secretary

Copy to-

1. Regional Officer, MPCB, Aurangabad : He is directed to issue appropriate directions to the Sugar factory and submit report accordingly.
2. Sub Regional Officer, MPCB, Aurangabad - He is directed to serve this notice to the industry and further follow up
3. Law Officer, MPCB, Mumbai - for information.