

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701		Kalpataru Point, 2 <sup>nd</sup> - 4 <sup>th</sup> Fl.
Fax: 24024068 / 24023516		Opp. Cine Planet Cinema,
Website: <a href="http://mpcb.gov.in">http://mpcb.gov.in</a>		Near Sion Circle, Sion (E)
E-mail: <a href="mailto:ast@mpcb.gov.in">ast@mpcb.gov.in</a>		Mumbai-400 022.

Consent order No: -BO/AST/RO Chandrapur/UAN No. MPCB-CONSENT-0000016260/R/CC-1701000350  
 Date-10/01/2017

To,  
 M/s. Abhideep Chemicals Pvt Ltd.,  
 Plot No. A-2, MIDC Area,  
 Ghuggus Road, Padoli,  
 Dist. Chnadrapur.

**Sub:** Auto Renewal application for Renewal of Consent to Operate.  
**Ref:** 1. Earlier Consent granted vide no. BO/MPCB/AST/RO No. CH-1729-15/R/C-7694 dtd. 10.07.2015

Your application-MPCB-CONSENT-0000016260  
 Dated: 19.11.2016

For Renewal of Consent to Operate under Section 20 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous and other Wastes (M & T M) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from 30.11.2015 to 30.11.2020
2. The total capital investment of the industry is Rs. 7.25 Cr. (As per C. A. Certificate)
3. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	Beta Oxy Naphthoic (Bon) Acid	100	MT/M
2	Tex (Ex Product)	13.57	MT/M
3	Pamoic Acid	7.5	MT/M
4	10 Sodium Pamoate	4.17	MT/M
5	BNSA (Pure)	8.33	MT/M
6	1-Hydroxy-2-Naphthoic Acid	4.17	MT/M
7	1-Hydroxy-2-Naphthoic Acid-Phenyl Ester	2.5	MT/M
8	1-Naphthalene Acetic Acid	2.0	MT/M
9	1-Naphthalene Acetamide	2.0	MT/M
10	Methyl Phenyl Hydantoin	40	MT/M
	<b>Total</b>	<b>184.23</b>	<b>MT/M</b>
	<b>OR</b>		
1	m-Phenoxy Benzaldehyde	184	MT/M
	<b>OR</b>		
1	Beta Naphthol	184	MT/M

OR			
1	1, 3- Dibromo-5-methyl-5 phenyl hydantoin	184	MT/M
2	2,2 Biphenol		
3	3-Ethyl Amino 4-Methyl Phenol		
4	p-Phenylene Diamine		
5	m-Hydroxy acetophenone		
6	1,2,3,4 butane tetra carboxylic acid		
7	p Methoxy phenyl acetic acid		
8	3-Chloro 2-Methyl Anisole		
9	Binol		
10	Sodium Salt of 2 Ethyl Hexanoic Acid		
11	2-phenyl-3-3-Bis(4-Hydroxy phenyl ) Phthalinidine		
12	2-Ethyl hexanoyl Chloride		
13	n Butiryl Chloride		
14	Iso Phthlloyl Chloride		
15	Neo Decanoyl Chloride		
16	2-Hydroxy 6-Naphthoic acid		

**Note:- Products shall be manufactured from the above list subject to given limits and overall pollution load limit.**

**4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	74.50	As per Schedule -I	Sent to sister concern unit M/s. Multi Organic Ltd. for treatment through MEE.
2.	Domestic effluent	2.0	As per Schedule -I	On land for gardening.

**5. Conditions under Air (P&CP) Act, 1981 for air emissions:**

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boiler-1(Stand by)	1	As per Schedule -II
2.	Boiler 2	1	As per Schedule -II
3.	VTA 06 (Hot Oil System)	1	As per Schedule -II
4.	AG Set (250 KVA)	1	As per Schedule -II

**6. Conditions about Non Hazardous Wastes:**

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Coal Ash	2.00 MT/Day	—	Sale to brick manufacturer.

**7. Conditions under Hazardous and other Wastes (M & TM) Rules, 2016 for treatment and disposal of hazardous waste:**

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Used /spent oil	5.1	200.00	Ltr/A	....	By sale to Authorized recyclers.

*[Handwritten Signature]*

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
9. The industry shall also comply with the Industry specific standards notified under Environment Protection Act.
10. The plain renewal of consent is granted as per the earlier consent, Industry shall restrict the production as per consent quantity only.
11. Industry shall submit in writing to the Board about production plan to be undertaken in advance.
12. Industry shall not undertake the production of proposed products other than the existing 10 numbers of products without completion of new plant (expansion) and information to MPCB about commencement of the proposed production.
13. This consent is issued as per the delegation of power to HOD's vide Board Office Order No. 31/2013 dtd.1/03/2013.
14. This Consent is issued under the auto renewal consent policy of the Board vide letter dtd.23.12.2016 -as per self certificate submitted by Mr. Ajit M. Naik, Director, authorized signatory.
15. The M.P.C. Board reserves the rights to revoke the Consent any time for any violation.
16. The applicant shall inform the Board in each financial year about the change in Capital investment of the industry. In case, if the Capital investment is increased by an amount upto 10% then industry shall make payment of the corresponding fees for consent to establish and also difference in consent to operate fees for the corresponding block year. In case, if there is increase in Capital investment by over 10% then the industry shall submit a fresh application in prescribed form.

For and on behalf of the  
Maharashtra Pollution Control Board

*(P. K. Mirashe)*  
Assistance Secretary (Technical)

Received Consent fee of -

Sr. No.	Amount(RS.)	DD. No.	Date	Drawn On
1	50, 100/-	161530	23.11.2015	State Bank of India
2	50, 000/-	161642	29.11.2015	
3	25, 000/-	842936	21.11.2016	

- Balance fee of Rs.25, 000/- with the Board will be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer -Chandrapur and Sub-Regional Officer- Chandrapur, They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

## Schedule-I

### Terms & conditions for compliance of Water Pollution Control:

- 1) A) The effluent shall be sent to sister concern unit M/s. Multi Organics Ltd. Located adjacently for treatment through multiple effect evaporators. There shall not be any discharge outside the factory premises. The responsibility of treatment of effluent will be with both units.
- 2) B) The Applicant and sister concern unit M/s. Multi Organics Ltd. shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
	<b>I. Compulsory Parameters</b>	<b>Limiting Concentration in mg/l except for pH</b>
01	pH	5.5 to 9.0
02	BOD 3days 27 deg.C	100 mg/l
03	COD	250 mg/l
04	Oil & Grease	10 mg/l
05	Suspended Solids	100 mg/l
06	Total Dissolved Solids	2000 mg/l
07	Sulphate	1000 mg/l
08	Chlorides	600 mg/l
09	Phosphate (as P)	5.0 mg/l
10	Bioassay Test	90% survival of fish after first 96 hrs in 100% effluent.

- C) The treated effluent shall be segregated and reused back into the process to maximum extent and remaining shall be dispose to CETP. There shall be no discharge outside industry premises.
- 2) A) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
  - (1) Suspended Solids. Not to exceed 100 mg/l.
  - (2) BOD 3 days 27oC. Not to exceed 100 mg/l.
- B) The treated sewage shall be soaked in a soak pit, which shall be got cleaned periodically, excess if any sewage shall be disposed on land for gardening/irrigation.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	117.50
2.	Domestic purpose	12.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	83.50
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	NIL

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Maharashtra Pollution Control Board

*[Signature]*

## Schedule-II

### Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have install the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sl. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO <sub>2</sub> Kg Day
1	Baby Boiler-1 (Stand by)	Multi cyclone dust collector	27.0	Coal	300 Kg/hr	0.5	72.0
1	Baby Boiler-2	Multi cyclone dust collector	27.0	Coal	400 Kg/hr	0.5	96.0
2	VTA-06 (Hot Oil System)	—	16.0	Coal	100 Kg/hr	0.8	24
3	D.G Set (250 KVA)	Acoustic enclosures	3.50	Diesel	8 Hrs/hr	—	—

\*above the roof of building in which D.G set is installed.

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
--------------------	---------------	--------------------------

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



### Schedule-III

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Existing BG	2.5 Lakh	15 Days	Towards compliance of consent conditions	30/11/2020	31/03/2021
2	Existing BG	2.5 Lakh	15 Days	Towards Operation & Maintenance of Pollution control systems	30/11/2020	31/03/2021

- Above Bank Guarantee shall be submitted at MPCB Regional Office, Chandrapur

Maharashtra Pollution Control Board

## Schedule-IV

### General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or event such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1982.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous & other Wastes (M &TM) Rules 2016, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site / environment.
- 9) The industry shall submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous & other Wastes (M&TM) Rules 2016 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website ([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.



- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

-----0000-----