


MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 022- 27576034
022-27572620
Fax : 022- 27562132
Email : roraigad@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Regional Office Raigad
Raigad Bhavan,
6th floor Sector - 11, C.B.D Belapur
Navi Mumbai - 400614

Red /S.S.I

Date: 06-12-2018

Consent No: RO-Raigad-Consent/1812000427

Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2016.

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

.....
CONSENT is hereby granted to

M/s. Sachin Shamrao Londhe,
Plot No. W-19 & W-20, Mahad MIDC, Village- Jite,
Tal - Mahad, Dist - Raigad.

Located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Establish is granted for a period up to: Commissioning of the Unit or Five years whichever is earlier.
2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	Sandal (Used in Perfumery industry, Soap Industry)	100	Ton/Y
2	Sandal Core (Used in Cosmetic industry, oil and domestic product manufacturing industries)	70	Ton/Y

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall not exceed than 1.0 M³
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 1.5 M³.

(iii) Trade Effluent:

Treatment: The applicant shall provide comprehensive treatment system consisting of primary / secondary and/or tertiary treatment along with ZLD as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

1	pH	Between	5.5 to 9.0	
2	Suspended Solids	Not to exceed	100	mg/l.
3	BOD 3 days 27 Deg. C.	Not to exceed	100	mg/l.
4	COD	Not to exceed	250	mg/l.
5	Oil & Grease	Not to exceed	10	mg/l.
6	TDS	Not to exceed	2100	Mg/l.

