

MAHARASHTRA POLLUTION CONTROL BOARD

Sub Regional Office Solapur.

Telefax: 0217-2319850

Email : srosolapur@mpcb.gov.in

Visit At: <http://mpcb.gov.in>



4B, Bali Block, Civil Lines, Opp.
Govt. Milk Dairy, Sath Rasta,
Solapur - 413003.

Green/SSI

Date: 02/02/2019

CONSENT NO: SRO-SOLAPUR/CONSENT/1902000406/

Consent to Operate under section 26 of the Water (Prevention and Control of Pollution) Act, 1974; under section 21 of the Air (Prevention and Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008.

[To be referred as Water Act, Air Act & HW (MH&TM) Rules respectively].

CONSENT is granted to:

M/s. Udata Plastics
Plot No. E-92/4/11 and E-92/4/12, MIDC Akkalkot Road,
Solapur, Dist: Solapur

Located in the area declared under the provisions of the Water Act/Air Act/Authorization under the provisions of HW (MH&TM) Rules, subject to the provisions of the Act and the Rules and the orders that may be made further and subject to the following terms and conditions.

1. The Consent to Operate is granted for period up to :- 31/08/2023.
2. The consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	Plastic Sutali	6.00	Ton/month
2	Plastic Pipe	3.00	Ton/month


(G-32, Polythene and plastic processed products Manufacturing)

The plastic waste Management Rules 2016 and The Maharashtra Plastic and Thermocal products (Manufacturer, Usage, Sale, Transport, Handling and Storage Notification 2018.

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent shall not exceed Nil.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 0.80 m³.
- (iii) Trade effluent treatment: - NA
- (iv) Trade effluent disposal: NA

SRO Solapur/I/G/5 -62050



(v) **Sewage Effluent Treatment:** - The applicant shall provide comprehensive treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

(i)	Suspended Solids	Not to exceed	100 mg/l.
(ii)	B. O. D. 5 days 20 C.	Not to exceed	100 mg/l.

(vi) **Sewage Effluent Disposal:** The treated effluent shall be used on land for gardening within premises.

(vii) **Non Hazardous solid waste :**

Type of Waste	Quantity	Treatment	Disposal
Plastic Waste	50	Kg/Month	Reuse in process

(viii) **Other Conditions: —**

4. The applicant shall comply with the provisions of the Water (Prevention and Control of Pollution) Cess Act 1977 (to be referred as Cess Act) and rule made there under.

The daily water consumption for the following categories is as under:

(i) Domestic purpose	-----1.00CMD
(ii) Water gets Polluted & Pollutants are Biodegradable	----- 0.00 CMD
(iii) Water gets Polluted, Pollutants are not Biodegradable & Toxic	----- 0.00 CMD
(iv) Industrial Cooling, spraying in mine pits or boiler feed	-----0.00 CMD
(v) Agriculture / Gardening	----- 0.3CMD

The applicant shall regularly submit to Board the returns of water consumption in the prescribed form and pay the cess as specified under section 3 of the said Act.

5. CONDITIONS UNDER AIR ACT :

(i) The applicant shall install a comprehensive control system consisting of control equipment's as is warranted with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

a. **Control Equipment: NA**

Standards for Emissions of Air Pollutants:

- (i) SPM --- Not to exceed --- 150 mg/Nm³
 (ii) The applicant shall observe the following fuel pattern:-

Sr. No.	Type of Fuel	Quantity
1	NIL	NIL

(iii) The applicant shall erect the chimney / (s) of the following specifications :-

Sr. No.	Chimney attached to	Height in meters
1	NIL	NIL

SRO Solapur/I/G/S -62050



(iv) The applicant shall provide in the chimney / (s) and facilities such as ladder, platform etc, for monitoring the air emissions and the same shall be open for inspection to / and for use of the Board's staff. The chimney / (s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted / displayed to facilitate identifications.

(v) The industry shall take adequate measures for control of noise levels From its own sources within the premises so as to maintain ambient air Quality standard in respect of noise to less than 75 DB (A) during day time and 70 DB(A) during night time. Day time is recognized in between 6 A.M. and 10 P.M and night time is reckoned between 10 p.m. and 6 a.m.

(vi) Other conditions:

- a) The industry shall not cause pollution nuisance in the surrounding area.
- b) The manufacturing activity should be done under closed covered shed to control nuisance in surrounding area.

6. CONDITIONS UNDER HW (MH&TM) RULES, 2008.

The industry shall not generate any type of hazardous waste.

7. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

9. The Industry shall comply with the conditions of the Plastic Waste Management Rules 2016 and The Maharashtra Plastic and Thermocal products (Manufacture; Usage, Sale, Transport, Handling and Storage Notification 2018.

10. The Capital Investment of the industry is Rs. 15.37 Lakhs.

For and on behalf of
Maharashtra Pollution Control Board



Udata
(N.S.Awatade)

I/c. Sub Regional Officer, Solapur.

To
M/s. Udata Plastics
Plot No. E-92/4/11 and E-92/4/12,
MIDC Akkalkot Road, Solapur, Dist: Solapur
Maharashtra, India.

Copy submitted to:

1. The Member Secretary, MPC Board, Mumbai.
2. The Regional Officer, MPC Board, Pune.
3. The Chief Account Officer, MPC Board, Mumbai.

Received Consent fee of -

Sr. No.	Amount (Rs.)	Transaction NO.	Date	Payment Status
1	3000.00	TXN1812000812	07/12/2018	Successes

Copy to: - Master File.