

MAHARASHTRA POLLUTION CONTROL BOARD

Phone:4010437/4020781
4045589/4037124/4035273
Fax : 4024068 /4023516



Kalpataru Point, 3rd & 4th floor,
Sion, Matunga Scheme Road No. 8,
Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E)
Mumbai : 400 022

By RPAD / Hand Delivery / Fax

No.:MPCB/PSO/BMW/B: /e-1909000303

Date: 11/09/2019

To,
**M/s. Divisional Railway Hospital,
DRH Kalyan, Waldhuni,
Kalyan – 421 301**
(Email- cmsdrhkalyan@gmail.com)

Sub: Refusal of Consent to Operate under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 10(2) of the Bio-Medical Wastes Management Rules, 2016

- Ref: 1) Your BMW authorization and Consent application received to MPCB, HQ on 27.02.2019
2) Minutes of 14th CC- meeting held on 29.03.2019
3) SCN for Refusal issued on 03.05.2019
4) This office email on 11.06.2019
5) Personal hearing extended before MS, MPCB on 14.06.2019
6) This office email on 18.07.2019
7) Your reply uploaded on 29.07.2019

WHEREAS, the Ministry of Environment & Forests, Govt. of India in exercise of the powers conferred by section 6,8 and 25 of the Environment (Protection) Act, 1986 has notified the Bio-Medical Waste Management Rules, 2016, for proper management and handling of the Bio-medical Waste.

AND WHEREAS, refer to your application for grant of Authorisation under Bio-Medical Wastes Management Rules, 2016, received through Sub Regional Officer, Kalyan-I. AND WHEREAS, vide SCN for Refusal on 03.05.2019 it was brought to your notice that you have failed to submit required documents for which personal hearing was extended before 14.06.2019 and once again instructed to submit the required documents,

1. Additional fee of Rs.8,57,000/- for considering CCA from 4.6.2012 to 4.6.2023
2. Status of installation of STP for treatment of Sewage.

AND WHEREAS, inspite of efforts taken by Board you have failed to submit the above required document for considering Combined Consent and Authorization.

In view of the aforesaid non-compliances on your part under the provisions of the Bio-Medical Wastes Management Rules, 2016, your application for grant of Authorisation is hereby refused under Rule 10 (2) of the Bio-Medical Wastes Management Rules, 2016.

:2:

NOW THEREFORE, in view of the aforesaid non compliances, your application for authorization under the provisions of Bio-Medical Wastes Management Rules 2016 is hereby refused, which may please be noted.

If you are aggrieved with the said Refusal of Consent, you may prefer an Appeal under Section 28 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 31 of the Air (Prevention & Control of Pollution) Act, 1981 and under Rule 16(1) of the Bio-Medical Waste Management Rules, 2016 before the Secretary, Environment Department, Govt. of Maharashtra, within a period of 30 days from the date of receipt of the said letter.


(E. Ravendiran, IAS)
Member Secretary

Copy to:

1. PSO / LO, MPCB, Mumbai – for information
2. Regional Officer, MPCB, Kalyan / Sub Regional Officer, Kalyan-I – for information and necessary action.