

# MAHARASHTRA POLLUTION CONTROL BOARD

## SUB REGIONAL OFFICE, KOLHAPUR

Phone : 0231-2652952 /2660448

Udyog Bhawan Near Collector Office,

Fax : 0231-2652952



Email : rokolhapur@mpcb.gov.in

Kolhapur - 416003

Visit At : <http://mpcb.gov.in>

Green/S.S.I

Date: 01/05/2017

Consent No: SRO KOLHAPUR/CONSENT/ 1765000024 /236/17

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundry Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

**M/s. Techno Weave Textiles**

Plot No-329, The Ichalkaranji Co-op Estate Ltd. Khanjire Nagar. Shahapur, Ichalkaranji, Tal-Hatkanangale, Dist-Kolhapur

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period up to: 31/08/2019

2. The Consent is valid for the manufacture of -

| Sr. No.   | Product Name               | Maximum Quantity | UOM    |
|---|----------------------------|------------------|--------|
| 1   | Cotton & Synthetic Fabrics | 600000           | Mtrs/Y |
| ( Only Weaving activity, Without sizing, Bleaching, Dying ) |                            |                  |        |

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall be nil.  
(ii) The daily quantity of sewage effluent from the factory shall not exceed  $0.5M^3$ .

(iii) Trade Effluent : Nil

(iv) Trade Effluent Disposal: Nil

(v) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

- (1) Suspended Solids Not to exceed 100 mg/l.  
(2) BOD 3 days 27o C. Not to exceed 100 mg/l.



- (vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vii) **Non-Hazardous Solid Wastes:**

| Sr. No. | Type Of Waste | Quantity | UOM | Treatment | Disposal |
|---------|---------------|----------|-----|-----------|----------|
| Nil     |               |          |     |           |          |

(viii) **Other Conditions:** Nil

**4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under**

The daily water consumption for the following categories is as under:

- |   |     |          |
|---|-----|----------|
| (i) Domestic purpose  | ... | 0.6 CMD  |
| (ii) Water gets Polluted & Pollutants are Biodegradable             | ... | 0.00 CMD |
| (iii) Water gets Polluted, Pollutants are not Biodegradable & Toxic | ... | 0.00 CMD |
| (iv) Industrial Cooling, spraying in mine pits or boiler feed       | ... | 0.00 CMD |

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

**5. CONDITIONS UNDER AIR ACT :**

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

A) **Control Equipment:** Industry shall provide dust collector of sufficient capacity to control the emissions.

**B) Standards for Emissions of Air Pollutants:**

- |                      |               |                          |
|----------------------|---------------|--------------------------|
| (i) SPM/TPM          | Not to exceed | 150 mg/Nm <sup>3</sup> . |
| (ii) SO <sub>2</sub> | Not to exceed | -- Kg/Day                |

- (i) **The applicant shall observe the following fuel pattern:-**

| Sr. No. | Type Of Fuel | Quantity | UOM |
|---------|--------------|----------|-----|
| Nil     |              |          |     |

- (ii) **The applicant shall erect the chimney(s) of the following specifications:-**

| Sr. No. | Chimney Attached To | Height in Mtrs. |
|---------|---------------------|-----------------|
| Nil     |                     |                 |

- (iii) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70



- viii. The firm shall submit to this office, the 30<sup>th</sup> day of September every year, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- ix. As inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- x. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.
- xii. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
8. This consent is issued as per delegations of power vide Board office Order No. 31/2013 dtd. 01.03.2013.
9. The Board reserves the right to revoke the Consent, if conditions stipulated are not implemented to the satisfaction of the Board or for that matter, for any other administrative reason.
10. **Industry shall obtain Permission from CGWA (Central Ground Water Authority) towards the use of ground water.**
11. The Capital investment of the industry is Rs. 267.97 Lacs.

*(Handwritten Signature)*

(Mrs. I.T. Gaikwad)  
Sub Regional Officer, Kolhapur



To,  
**M/s. Techno Weave Textiles**  
Plot No-329, The Ichalkaranji Co-op Estate Ltd. Khanjire Nagar, Shahapur, Ichalkaranji,  
Tal-Hatkanangale, Dist-Kolhapur

**Copy submitted to:**

1. The Member Secretary, MPC Board, Mumbai
2. The Chief Accounts Officer, MPC Board, Mumbai
3. Cess wing /Statistical wing/Air wing /Hazardous Management wing MPC Board, Mumbai

**Received Consent fee of -**

| Sr. No. | Amount (Rs.) | Transaction No. | Date       | Drawn On |
|---------|--------------|-----------------|------------|----------|
| 1       | 15000/-      | TXN1703002463   | 20.03.2017 | -----    |
| 2       | 15000/-      | TXN1704000841   | 06.04.2017 | -----    |

**Copy to:-**

1. The Regional Officer, MPC Board Kolhapur