

MAHARASHTRA POLLUTION CONTROL BOARD

Grams: PREPOLL
Tel. No.(0253) 2362820
Fax No.(0253) 2365150
e-mail:ronashik@mpcb.gov.in



Regional Office- Nashik,
Udyog Bhavan, 1st floor,
Trimbak Road, MIDC Comp.
Near ITI., Satpur, NASHIK-422007.

No. RO-NASHIK/Refusal/1910000434

Date. 9/10/2019

To,
M/s MSRT Corporation Dhule Division,
Plot no -5, MIDC Awadhan
Taluka. & District Dhule.

Sub.: - Rejection of application for grant of Consent under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention & Control of Pollution) Act, 1981.

Ref.: - Your online application No. – **MPCB-CONSENT-0000073421**

This refers to your online application for grant of Consent. Upon scrutiny of the said application, it is noticed that. You have not submitted the reply of Scrutiny letter dtd. 30.08.2019, in view of above SRO has also recommended you case for rejection.

In view of above, your said application for grant of Consent is hereby rejected under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention & Control of Pollution) Act, 1981.

If you are aggrieved by this rejection order, you may prefer an appeal before competent authority as per provision made in Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 within period of 30 days from date of receipt of this order.


(Dr.J.B.Sangewar)
Regional Officer, Nashik

Copy to Sub-Regional Officer, MPCB, Dhule:-

He is directed to serve a copy of rejection order to the industry and take acknowledgment of the same. He is also directed to submit the compliance of rejection order and proposal for issuance of Closure Directions immediately after over of appeal period.