

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701		Kalpataru Point, 2nd - 4th Floor
Fax: 24024068 / 24023515		Opp. Cine Planet Cinema,
Website: http://mpcb.gov.in		Near Sion Circle, Sion (E)
E-mail: ast@mpcb.gov.in		Mumbai-400 022.

No. BO/MPCB/AS(T)/Refusal/B- 1911000386

Date: 11/11/2019

To,

M/s Calyx Chemicals And Pharmaceuticals Ltd.

Plot No. W-211, 212,213 & W-215, 216

MIDC Phase 2, Kalyan, Dist-Thane


Sub: Refusal of Consent to operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981.

- Ref:**
1. Existing Consent to Operate dated 31/12/2015
 2. Your application for grant of renewal of Consent to Operate (UAN No. MPCB-CONSENT-0000072791)
 3. Show Cause Notice issued vide No. BO/MPCB/AS(T)/SCN/B-2464 dated 04/7/2019
 4. Your reply dated 08/7/2019 & 21/8/2019

.....
WHEREAS, this office is in receipt of your application for grant of Consent to operate (renewal) under section 26 of the Water (Prevention of Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

AND WHEREAS, Board office has issued show cause notice vide reference (2) above for non-submission of manufacturing process including material balance, ETP designed details, air pollution control system details, HW generation details and Bank Guarantee. You have failed to submit desired information despite of the sufficient and reasonable opportunity given for the submission of the same. **AND WHEREAS**, in the absence of the desired information, the Board is unable to take decision about grant of consent.

In view of above, your application for grant of Consent to Operate is hereby **refused** under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 (4) of the Air (Prevention & Control of Pollution) Act, 1981 for the above non-compliances. If you are aggrieved by this order, you may prefer an appeal as per provision in the Water (P&CP) Act 1974 & the Air (P&CP) Act 1981 within 30 day's time from the date of receipt of this letter.


(P.K. Mirashe)
Asst. Secretary (Tech.)

Copy to: Regional Officer, MPC Board, Kalyan /Sub Regional Officer, MPC Board, Kalyan-I

- You are hereby directed to issue directions to the unit for not to take any effective steps.