

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE, KOLHAPUR.

Tel. No. (0231) 2652952,
2660448
Fax No. (0231)2652952



Udyog Bhavan,
Near Collector Office,
Kolhapur - 416 003.

MPCB/SRO/KOP/ 2166 / 17

Dt.- 25/09/2017

To,
M/s. Om Processors,
10/1202, B/3, Date Mala, Ichalkaranji,
Tal. Hatkanangale, Dist. Kolhapur.

Sub: Refusal of renewal of consent under section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention & Control of Pollution) Act, 1981.

- Ref: 1. Conditional Directions issued on 22.3.2017.
2. Your application for grant of renewal of consent received through Sub-Regional Officer Kolhapur.
3. SCN for Refusal of consent issued on 29.08.2017.

WHEREAS, this office is in receipt of your application for grant of renewal of consent under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under Rule 5 of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008 as amended.

AND WHEREAS, this office vide letter reference no. 3 issued SCN for refusal of consent.

AND WHEREAS, you have not submitted the said information till date.

NOW THEREFORE, your application for grant of renewal of consent is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981.

(Dilip K Khedkar)
Regional Officer

Copy to:
Sub-Regional Officer, MPC Board, Kolhapur- for follow-up.