

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 95712 -2560139 / 52

6 th Floor, Udyog Bhawan Civil lines

Fax : 95712 - 2560851



Email : ronagpur@mpcb.gov.in

Nagpur - 440 001

Visit At : <http://mpcb.gov.in>

Orange/S.S.I

Date: 3-11-2016

Consent No: MPCB/17 \ 1000 \ 59

Consent to Establish under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016

[To be referred as Water Act, Air Act and H & OW(M&TM) Rules respectively].

CONSENT is hereby granted to

M/s. KCC Buildcon Pvt. Ltd.,
Ph. No. 11 A, Sr. No. 90, 91, Mouza Sukli (P)M,
Tq. Umred Dist Nagpur.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of H and OW(M and TM) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Establish is granted for a period up to: Commissioning of the Unit or 5 years whichever is earlier.
2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
	Stone Metal of Various Sizes (10 MM, 20MM, 40MM, Dust)	1560000	Ton/Year

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall be **NIL**.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed **0.20M³**.


(iii) Trade Effluent : N.A.

(iv) Trade Effluent Disposal: N.A.

(v) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

- | | | | | |
|-----|-------------------|---------------|-----|-------|
| (1) | Suspended Solids | Not to exceed | 100 | mg/l. |
| (2) | BOD 3 days 27o C. | Not to exceed | 100 | mg/l. |

(vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.



(vii) Non-Hazardous Solid Wastes:

Sr. No.	Type Of Was	Quantity	UOM	Treatment	Disposal
	Sand	100000	Ton/Year	--	By Sale

(viii) Other Conditions: Industry should monitor effluent quality regularly.

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under

The daily water consumption for the following categories is as under:

- (i) Domestic purpose ... 2.00 CMD
- (ii) Water gets Polluted & Pollutants are Biodegradable ... 0.00 CMD
- (iii) Water gets Polluted, Pollutants are not Biodegradable & Toxic ... 0.00 CMD
- (iv) Industrial Cooling, spraying in mine pits or boiler feed ... 0.50CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. CONDITIONS UNDER AIR ACT :

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

a. Control Equipment:

The particulate matter PM₁₀ contribution value from unit shall be less than 100 ug / m³. This unit must also adopt the following pollution control measures.

1. Dust containment cum suppression system for the equipments.
2. Construction of wind breaking walls.
3. Construction of the metallic roads within the premises.
4. Regular cleaning and wetting of the ground within the premises.
5. Growing of a green belt along the periphery.
6. Water sprinkling arrangement shall be provided and operated continuously.

No Stone crushing activity will be allowed within 500 mtrs. from National Highway 200 mtrs. from state Highway & 100 mtrs. from other roads such as major district road, other district road or village roads. Also crusher shall be located 500 mtrs. away from human habitation.


6. Standards for Stack Emissions:

- (i) The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity	UOM
---------	--------------	----------	-----

- (ii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
---------	---------------------	-----------------



- (iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- (iv) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- (vi) **Other Conditions:**
 - 1) The industry should not cause any nuisance in surrounding area.
 - 2) The industry should monitor stack emissions and ambient air quality Regularly.

7. CONDITIONS UNDER HAZARDOUS WASTE AND OTHER WASTE (MANAGEMENT AND TRANSBOUNDRY MOVEMENT) RULES, 2016:

(i) The Industry shall handle hazardous wastes as specified below.

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
---------	---------------	----------	-----	----------


There shall be no generation of Hazardous waste.

(ii) Treatment: - NIL

- 1. The industry should comply with the Hazardous and Other Wastes (M and TM) Rules, 2016.
 - a. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipment, the production process connected to it shall be stopped.

8. Industry shall comply with following additional conditions:


- i. The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
- ii. The applicant shall bring minimum 33% of the available open land under green coverage/ tree plantation.
- iii. Solid waste – The non hazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- iv. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant to maintain compliance with the terms and conditions of the consent. In the absence of the applicant shall stop, reduce or otherwise, control production to abide by the terms & conditions of this consent regarding pollution levels.
- v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes, to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- vii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.



- viii. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- ix. As inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- x. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.
- xii. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- xiii. Whenever due to any accident or gas leakage or other unforeseen act or even such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Collector, Directorate of Industry, Safety and Health, Police Station, Fire Brigade, Directorate of Health Services, Department of Explosives, Board and Local Body and the production process should be stopped by taking all necessary safety measure. The industry shall also monitor the emission and ensure that the emissions do not cause any harm or nuisance in the surrounding. The industry should not restart the process without permission of the Board and other statutory organization as require under the law.

9. Industry shall obtain consent to operate before commencement of production.

10. The Board reserved the right to amend or add any conditions in this consent and the same shall be binding on the action.
11. Industry shall also comply with the industry specific standards notified under Environment Protection Act.
12. This consent shall not be construed as any exemption from obtaining necessary No objection certificate from any other Government organizations.
13. The Capital investment of the industry is Rs. 719.00 Lacs.


(Rahul M. Wankhede)
Regional Officer

To,
M/s. KCC Buildcon Pvt. Ltd.,
Ph. No. 11 A, Sr. No. 90, 91, Mouza Sukli (P)M,
Tq. Umred Dist Nagpur.

Received Consent fee of –

Sr. No.	Amount(Rs.)	D.R. No.	Date
	50000	TXN1710000756	10 Oct 2017

Balance consent fees of Rs. 25,000/- will be adjusted during obtaining consent to 1st operate.

Copy submitted to favour of information to:-

Member Secretary, MPCB, Mumbai.

Copy forwarded for information:-

The chief Accounts officer, MPCB, Mumbai.

Copy to:- The Sub-Regional officer, Nagpur-II.