


MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 0251-2310167 / 2310212

Fax : 0251-2310192

Email : rokalyan@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Sidhivinayak Sankul 3rd floor,
Near Oak Baug, Station Road,
Kalyan - 421301

Green/S.S.I

Date: 20/12/2017

Consent No: MPCB/SROK-II/17/17120 00834/527

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous & other Wastes (Management & Transboundary Movement) Rules 2016

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s. KGN Enterprises,
H.No. 742/A, new colony Ulanchal,
Ambarnath, Dist. Thane

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period up to - 31.01.2030
2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UoM
1	Scrap material i.e. scrap paper corrugated boxes from sheets, scrap mild steel boxes, scrap paper cores, wooden materials, (Pallets, pallet top, ply, Flanges, Wheels) Scrap plastic/HDPE/LDPE Reinforce pallets, scrap label matrix	As per order	

(Dry process without any heat treatment/metal surface finishing operations/ Painting, without handling of Haz. Waste, waste oil & chemicals)

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall be NIL.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 0.8 M³.
- (iii) Trade Effluent : -----NA-----
- (iv) Trade Effluent Disposal: -----NA-----
- (v) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

(1) Suspended Solids	Not to exceed	100	mg/l.
(2) BOD 3 days 27o C.	Not to exceed	100	mg/l.

