

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 / 24023515

Website: <http://mpcb.gov.in>

E-mail: [jdwater@mpcb.gov.in](mailto:jdwater@mpcb.gov.in)



Kalpataru Point, 2nd - 4th Floor

Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E)

BY RPAD/ Fax/ Hand/Delivery

Ref. No. BO/JD(WPC)/Refusal/ UAN NO. 34978 /B-

Q-1804001220

Date - 26/10/2018

To,

M/s. Shambhu Mahadev Sugar and Allied Industries Ltd,

Havargaon, Tal: kallam, Dist: Osmanabad.

**Sub** – Refusal of Consent under section 27 of water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981

- Ref-** 1) Consent to Operate for Renewal granted by Board dated.06.11.2015.  
2) Your Application for grant of renewal of consent vide UAN No. 34978 dtd. 15.10.2017.  
3) Show Cause Notice Issued by Board Dated. 03.03.2018.  
4) Minutes of Consent Committee meeting of the Board held on 23.03.2018 & 24.03.2018

.....

We refer to application for grant of Consent to Operate for renewal u/s 26 of the Water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981 and Hazardous Wastes & Other Waste (Management. and Transboundary Movement) Rules, 2016.

**AND WHEREAS** Board office has issued Show Cause Notice vide above ref at Sr. No (3), as **a)** Treated Effluent samples dated 13.01.2016 exceeds consented norms by BOD- 83.33% , COD- 91.68 % SS- 61.53 % **b)** You have not installed online monitoring system to Boiler emissions **c)** You have not submitted revocation of closure directions issued by CPCB,

**AND WHEREAS,** Your Application for renewal of consent for 2500 TCD Sugar was discussed in Consent Committee meeting held on 23.03.2018 and 24.03.2018. As per minutes of CC meeting vide above ref at Sr. No. (4) , not approved renewal of Consent and it was decided to issue final refusal for renewal of consent as you have not achieved treated effluent discharge standards as per consent conditions, You have not provided Air Pollution Control system as per consent condition, you have not installed online monitoring system to boiler emissions as per CPCB directions .

....2....

**AND WHEREAS**, you have not uploaded reply of show cause notice issued by Board vide above ref. at Sr. No. (3).

**AND WHEREAS**, as you have fail to submit reply of show cause notice and compliance of same viz not achieved treated effluent discharge standards as per consent conditions, not provided online monitoring system o boiler emissions as per directions issued by CPCB and, which shows your negligent attitude towards Environment Protection and compliance of consent conditions.

As per Minutes of Consent Committee meeting of the Board held on 23/03/2018 & 24/03.2018 your consent application is here by refused.

In view of the aforesaid non compliance, your application for grant of consent to Operate for renewal is hereby refused under section 27 of the Water (Prevention and Control of Pollution) Act 1974 and under section 21 of the Air (Prevention and Control of Pollution) Act 1981.

For & behalf of the  
Maharashtra Pollution Control Board,

  
(Dr. P .Anbalagan IAS)  
Member Secretary

**Copy to-**

1. Regional Officer, MPCB, Aurangabad : He is directed to issue appropriate directions to the Sugar industry and submit report accordingly.
2. Sub Regional Officer, MPCB, Latur - He is directed to serve this notice to the industry and further follow up
3. Law Officer, MPCB, Mumbai - for information.