


# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 022- 27576034  
022-27572620  
Fax : 022- 27562132  
Email : roraigad@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Regional Office Raigad  
Raigad Bhavan,  
6th floor Sector - 11, C.B.D Belapur  
Navi Mumbai - 400614

Orange /S.S.I

Date: 03-05-2018

Consent No: RO-Raigad-Consent/ 1805000106

Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2016.  
[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s.V-Ensure Pharma Technologies Pvt. Ltd.,  
Plot No. N-32, Additional Patalganga MIDC Industrial Area,  
Tal-Panvel, Dist Raigad.

Located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Establish is granted for a period up to: Commissioning of the Unit or Five years whichever is earlier.
2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	R & D Pharmaceutical, Tablets Capsules, Injection Liquids, Semi Solid preparations & Dry Powder, Inhalations (Not for commercial purpose)	40.0	Kg/Month

### 3. CONDITIONS UNDER WATER ACT:

(i) The daily quantity of trade effluent from the factory shall not exceed 0.2 M<sup>3</sup>

(ii) The daily quantity of sewage effluent from the factory shall not exceed 0.4 M<sup>3</sup>

#### (iii) Trade Effluent:

The applicant shall provide comprehensive treatment system consisting of primary, secondary and/or tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

1	pH	Between	5.5 to 9.0
2	Oil & Grease	Not to exceed	10 mg/l
3	Suspended Solids	Not to exceed	100 mg/l.
4	BOD 3 Days 27 degree C	Not to exceed	100 mg/l.
5	COD	Not to exceed	250 mg/l.
6	TDS	Not to exceed	2100 mg/l.
7	Sulphates	Not to exceed	1000 mg/l.
8	Chlorides	Not to exceed	600 mg/l

- (iv) **Trade Effluent:** The treated effluent shall be reused in the process to maximum extent and remaining shall be used on land for gardening within the premises. There shall not be any discharge outside the factory premises.

