

# MAHARASHTRA POLLUTION CONTROL BOARD

Sub Regional Office, Mumbai-III

Phone :- (022)-25505928  
Fax :- (022)-25505926  
E-mail :- sromumbai3@mpcb.gov.in  
Website :- http://mpcb.gov.in



Raikar Chambers, "A" Wing, 216, 2<sup>nd</sup>  
Floor, Deonar Gaon Road, Near  
Jain Mandir, Govandi (E),  
Mumbai- 400 088

Green/S.S.I.

Consent No: SRO-MUMBAI III/CONSENT/1805000169

Date: 04/05/2018

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2016 [To be referred as Water Act, Air Act and HW (M&H) Rules respectively]

CONSENT is hereby granted to,

M/s. S.S. Scrap Trading,  
Shop No. 1, Building no. 23A, Tata nagar (Akruti)  
Mankhurd Mumbai -400043.

Located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW (M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period up to:- 30/04/2021.
2. The Consent is valid for the manufacture of:

Sr. No.	Product Name	Maximum Quantity	UOM
1	Segregation & Sorting of Ferrous & non ferrous Metal scrap, Plastic & Paper scrap, M.S. HDPE Drums & Carboy, Wood, Electrical item assemble, Foam Insulation, Corrugated Boxes, Cable, Glass, MS-SS etc.	--	As per Order

(Without manufacturing, plating, painting, pickling, galvanizing, buffing, surface treatment or without any chemical activity)

### 3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall not exceed Nil
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 0.80m<sup>3</sup>
- (iii) Trade Effluent Treatment : ----Nil----
- (iv) Trade Effluent Disposal : ----Nil----
- (v) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate



