

MAHARASHTRA POLLUTION CONTROL BOARD

Regional Office, Navi-Mumbai

Ph. :- (022)- 2757 2740

Fax Ph. :- (022)- 2757 1586

Visit us at :- <http://mpcb.gov.in>

e-mail : ronavimumbai@mpcb.gov.in



Raigad Bhavan, 7th floor,
Sec-11, C.B.D. Belapur,
Navi Mumbai- 400 614.

By R.P.A.D./Fax/Hand Delivery

No. MPCB/RO Navi Mumbai/CD/ 2003190002

Date: 19/3/2020

To,
M/s. Z.H. International Pvt. Ltd.,
Plot No. W-352
TTC Industrial Area,
MIDC Rabale, Navi Mumbai

Sub:- Closure Directions under section 33A of the Water (P & CP) Act, 1974 & under section 31A of the Air (P. & C.P.) Act, 1981 and Hazardous & Other Wastes (M & T M) Rules, 2016.

Ref :- 1) Visit of Board Officials dtd. 5.3.2020
2) Action proposal approved by HQ vide Legal Unique No. MPCB-LEGAL_ACTIONS-110320021.

.....
WHEREAS, you are operating your industry in Water & Air pollution prevention area declared under Water (P&CP) Act, 1974 Air (P&CP) Act, 1981. AND WHEREAS, Board has granted consent to your industry subject to certain terms & conditions therein. AND WHEREAS, it is obligatory on your part to comply those conditions and provide necessary water & air pollution control devices and operate them continuously and efficiently so as to meet the standards prescribed by the Board at all times.

AND WHEREAS, Board officials visited to your unit on 5.3.2020 and accordingly this office is in receipt of proposal vide reference (2) above. The Board official reported following non-compliances / violations for necessary legal action under the provision of above Acts;

- 1) Industry visited by Board Official along with NMMC representative and about 900 Kg of banned plastic material is confiscated.
- 2) You have not obtained Registration under the Plastic Management Rules, 2016.
- 3) You have not obtained EPR for re-collection of plastic waste.
- 4) You have not mentioned Information viz. MPCB consent details, EPR details & recycling along with buyback prices etc. not printed on major quantity of production.
- 5) You have violating the provisions of Maharashtra Plastic & Thermocol Products Notification, 2018.

AND WHEREAS, after examining all the reports and records available with this office, I have come to the conclusion that you are knowingly and willfully violating the consent conditions under the provisions of Water (P & CP) Act, 1974 and Air (P & CP) Act, 1981.

:2:

AND NOW THEREFORE, in the exercise of the powers conferred u/s 33A of Water (Prevention & Control of Pollution) Act 1974, and 31A of Air (Prevention & Control of Pollution) Act, 1981. I, Regional Officer, MPCB, Navi Mumbai hereby directed to close down your manufacturing activities, within 72 hours taking all precautionary measures for safe closure, It shall be noted that competent authorities are hereby directed to disconnect your electricity and water supply.

In case of your failure to comply these directions, further suitable action which may be deemed fit, as per the provisions of the Environmental Act's will be initiated against your unit, which may please be noted.

This is issued with the approval from competent authority of Board.



(D. B. Patil)

Regional Officer, Navi Mumbai

Copy submitted for information. to:

1. The Member Secretary, MPCB Mumbai.
2. The Regional Officer (HQ), MPCB Mumbai
3. Law Officer (P&L Divn), MPCB, Mumbai.

Copy to: -

1. The Superintending Engineer/ Executive Engineer/Deputy Engineer, MSEDCL, Vashi, Navi Mumbai.
- He is directed to disconnect the electricity supply of the above said industry within 72 hours and report the action taken from your end at the earliest
2. The Executive Engineer, Water Supply Department, MIDC Mahape, Navi Mumbai
- He is directed to disconnect the water supply of the above said industry within 72 hours and report the action taken from your end at the earliest

Copy forwarded for information and necessary follow-up to: -

The Sub-Regional Officer, MPCB, Navi Mumbai-II

- He is directed to serve the copy of these Directions to the said industry immediately and report the compliance accordingly.



(D. B. Patil)

Regional Officer-Navi Mumbai