

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272		Regional Office, Thane
Fax : 25805398		5 <sup>th</sup> Floor, Office Complex Bldg.,
Website: <a href="http://mpcb.gov.in">http://mpcb.gov.in</a>		Near Mulund Check Naka,
E-mail Id: rothane@mpcb.gov.in		Wagale Estate, Thane-400 604.

No. MPCB/ROT/CD/ 2001230004

Date: 23/01/2020

To,

M/s. Arihant Industrial Corporation Limited  
Survey No. 21, G. No. 10, Vill. Netali,  
Manor, Tal. & Dist. Palghar- 401403

**Sub:- Closure Directions under section 33A of the Water (P & CP) Act, 1974 & under section 31A of the Air (P. & C.P.) Act, 1981 and the Hazardous Waste (Management, Handling & Transboundry Movement) Rules, 2016**

**Ref: - 1) Consent granted by Board.  
2) Show Cause Notice issued dtd. 09/08/2019.  
3) Visit of Board officials to your unit on 05/11/2019.  
4) Action proposal approved by HQ vide Legal Unique No. MPCB-LEGAL\_ACTIONS- 240719016, dtd. 13/01/2020**

**WHEREAS**, you are operating your industry in Water & Air pollution prevention area declared under Water (P & CP) Act, 1974 Air (P & CP) Act, 1981. AND WHEREAS, Board has granted consent to your industry subject to certain terms & conditions therein.

**AND WHEREAS**, it is obligatory on your part to comply those conditions and provide necessary water & air pollution control devices and operate them continuously and efficiently so as to meet the standards prescribed by the Board at all times.

**AND WHEREAS**, M.P.C. Board has issued Show Cause Notice above ref. 2 vide BO/MPCB/AS(T)/SCN/B-1908090003,dt: 09/08/2019. You failed to comply.

**AND WHEREAS**, Sub-Regional Officer, M.P.C.B. Tarapur-II visited to your unit dtd. 05/11/2019 and reported following non compliances:

- 1) You are generating hazardous waste more than consented limits & stored unscientifically in open area within factory premises.
- 2) You have unscientifically dumped non-hazardous waste & hazardous waste such as contaminated plastic within factory premises.
- 3) You have not provided Air Pollution Control System at FRP cutting/ painting section & at buffing and polishing section causing air pollution.
- 4) You have not obtained N.O.C. from C.G.W.A for use of ground water.


**AND WHEREAS**, this amounts to blatant violation of above mentioned legislations which shows your gross negligence attitude towards pollution control.

: 2 :

**AND NOW THEREFORE,** in the exercise of the powers conferred u/s 33A of Water (Prevention & Control of Pollution) Act 1974, and 31A of Air (Prevention & Control of Pollution) Act, 1981. I, Regional Officer, MPCB, Thane hereby directed to close down your manufacturing activities, within 72 hours taking all precautionary measures for safe closure, It shall be noted that competent authorities are hereby directed to disconnect your electricity and water supply.

In case of your failure to comply these directions, further suitable action which may be deemed fit, as per the provisions of the Environmental Act's will be initiated against your unit, which may please be noted.

This is issued with the approval from Competent Authority.



(D. B. Patil)

Regional Officer, Thane

**Copy submitted to:**

1. Hon'ble Member Secretary, M. P. C. Board, Mumbai.
2. Principal Scientific Officer, M. P. C. Board, Sion, Mumbai.

**Copy to:**

1. The Executive Engineer, MSEDCL, Palghar  
- He is directed to disconnect electric supply of above mentioned industry after completion of 72 hours from receipt of these direction immediately and report compliance accordingly.
2. Grampanchayat, Village Netali, Manor, Tal. & Dist. Palghar  
- He is directed to disconnect water supply of above mentioned industry after completion of 72 hours from receipt of these direction immediately and report compliance accordingly.
3. Sub- Regional Officer, Tarapur-II, MPC Board, Thane.  
- You are directed to serve these directions to the unit and ensure the compliance of the directions.
4. Master file