

MAHARASHATRA POLLUTION CONTROL BOARD

Phone : 02162-233527

Fax : 02162-233527

Email : srosatara@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Administrative Building,
2nd Floor, Behind S.T. Stand,
Sadar Bazar,
Satara-415001

Green/S.S.I

Date: 21/08/2018

Consent No: SRO-SATARA/CONSENT/1808000850

Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M&TM) Rules respectively].

CONSENT is hereby granted to

.....

M/s. Shreyash Restaurant,
Plot No.P-8, MIDC Lonand,
Tal:Khandala, Dist: Satara.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Establish is granted for a period up to: Commissioning of the unit or five years, whichever is earlier.

2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
01	Restaurant activity		As per order

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall be Nil
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 0.5 M³.
- (iii) Trade Effluent : —N.A.—
- (iv) Trade Effluent Disposal: Nil
- (v) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

(1) Suspended Solids	Not to exceed	100 mg/L.
(2) BOD 3 days 27o C.	Not to exceed	100 mg/L.

(vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vii) **Non-Hazardous Solid Wastes:**

Sr. No	Type Of Waste	Quantity	UOM	Treatment	Disposal
01	Kitchen Waste	1.5	Kg/day	----	Landfill

(viii) **Other Conditions:** Industry should monitor effluent quality regularly.

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under

The daily water consumption for the following categories is as under:

- (i) Domestic ... 0.70 CMD
- (ii) Industrial Processing ... 0.00 CMD
- (iii) Industrial Cooling ... 0.00 CMD
- (iv) Agriculture / Gardening ... 0.00 CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. CONDITIONS UNDER AIR ACT:

(i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

a. Control Equipment:

1. Dust collector of adequate capacity shall be provided to all sources of SPM/TPM and shall be operated properly.
2. Exhaust system with ID & FID fans shall be provided to kitchen.

6. Standards for Stack Emissions:

(i) The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity	UOM
1	LPG	2.0	No's/Day

(ii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
	N.A.	

(iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers

such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

- (iv) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

(vi) **Other Conditions:**

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality Regularly.

Conditions for Kitchen, Eating places etc.

1. The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
2. The toilet shall be provided with exhaust system connected to chimney through ducting.
3. The air conditioner shall be vibration proof & the noise level shall not exceed 68 dB(A).
4. The exhaust hot air from A.C. shall be attached to chimney at least 5 mtrs. higher than the nearest building through ducting & shall discharge.

7. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSPORT MOVEMENT) RULES, 2008:

- (i) The Industry shall handle hazardous wastes as specified below.

Sr. No	Type Of Waste	Quantity	UOM	Disposal
Industry shall not generate any type of Hazardous Waste.				

(ii) **Treatment:- NIL**

1. The authorization is hereby granted to operate a facility for collection, storage, transport & disposal of hazardous waste.
2. The industry should comply with the Hazardous Waste (M&H) Rules, 2003.
3. Whenever due to any accident or gas leakage or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Collector, Directorate of Industry, Safety and Health, Police Station, Fire Brigade, Directorate of Health Services, Department of Explosives, Board and Local Body and the production process should be stopped by taking all necessary safety measures. The industry shall also monitor the emission and ensure that the emissions do not cause any harm or nuisance in the surrounding. The industry should not restart the process without permission of the Board and other statutory organization as require under the law.

General Conditions -

1. The applicant shall maintain good housekeeping & take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area/habitants.

2. The applicant shall bring minimum 33 % of the available open land under green coverage/ plantation.
3. Solid Waste – The non – hazardous solid waste arising in the factory premises, sweepings etc. be disposed of scientifically so as not to cause any nuisance pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
4. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
5. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean & safe environment in & around the factory premises.
6. Industry shall obtain consent to operate before starting actual commercial production activity.
7. Board reserves the right to review, amend, suspend, revoke etc. this consent & the same shall be binding on the industry.
8. As per CPCB's new industrial categorization dtd.07/03/2016, this unit comes under/Green/SSI category G-4 Sl.No.G52.
9. The Capital investment of the industry is Rs. 53.00 Lakhs.

For AND ON BEHALF OF M.P.C. BOARD



(B.M.KUKADE)
SUB REGIONAL OFFICER,
SATARA.

(When consent issuing authority is other than Member Secretary, State)

Name : Shri.B.M.Kukade

Designation : Sub Regional Officer, Satara

Office Address : 2nd Floor, Administrative Building, Behind ST Stand, Sadar
Bazar, Satara.

To,
M/s. Shreyash Restaurant,
Plot No.P-8, MIDC Lonand,
Tal:Khandala, Dist: Satara.

Copy to:

- 1) Regional Officer, MPCB, Pune.
- 2) Chief Accounts Officer, MPCB, Mumbai

Received Consent fee of –

Sr. No.	Amount(Rs.)	Transaction number	Transaction Date
1	1500/-	TXN1807001862	20/07/2018

- 3) Cess Branch, MPCB.
- 4) Master file.