

MAHARASHTRA POLLUTION CONTROL BOARD

SUB REGIONAL OFFICE, MUMBAI-IV

Phone : (022)-25505928

Fax : (022)-25505926

Email : sromumbai4@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



"Raikar Chambers, "A" Wing, 216, 2nd Floor, Deonar Gaon Road, Near Jain Mandir, Govandi (E), Mumbai- 400 088

Green/S.S.I

Date: 9/08/2017

Consent No: SRO-MUMBAI-IV/CONSENT/1708000264

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous & Other Wastes (Management & Trans boundary Movement) Rules 2016 [To be referred as Water Act, Air Act and H&OW (M&TM) Rules respectively].

.....
CONSENT is hereby granted to

**M/s. ACG Pam Pharma Technologies Pvt. Ltd.,
Plot No. 66, Govt. Industrial Estate,
Kandivali (W), Mumbai- 400088.**

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of H&OW (M&TM) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate has granted for a period up to: 31/07/2032.

2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1.	Encapsulation Machine	55	No./A
2.	Proditech Machine	45	No./A
3.	Pharmagel Machine (All above without use surface treatment activity)	25	No./A

3. CONDITIONS UNDER WATER ACT:

(i) The daily quantity of trade effluent from the factory shall be Nil.

(ii) The daily quantity of sewage effluent from the factory shall not exceed **6.0 m³**

(iii) **Trade Effluent :**

Treatment: NA

(iv) **Trade Effluent Disposal:** The treated effluent shall be reused in the process, water sprinkling system or gardening / plantation only.

(v) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

- | | | | | |
|-----|-------------------|---------------|-----|-------|
| (1) | Suspended Solids | Not to exceed | 100 | mg/l. |
| (2) | BOD 3 days 27o C. | Not to exceed | 100 | mg/l. |

- (vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under

The daily water consumption for the following categories is as under:

(i) Domestic	...	8.00 CMD
(ii) Industrial Processing	...	00.00 CMD
(iii) Industrial Cooling	...	00.00 CMD
(iv) Agriculture / Gardening	...	00.00CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. CONDITIONS UNDER AIR ACT:

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

a. Standards for Emissions of Air Pollution:

- (i) (i) SPM/TPM Not to exceed ---- 150 mg/NM3

b. Chimney Details:

Sr. No.	Chimney attached to	Height in Mtrs.
1.	NA	

- (i) The applicant shall provide ports in the chimney / (s) and facility such as ladder, platform, etc., for monitoring the air emissions and the same shall be open for inspection to / and for use of the Board's staff. The chimney / (s) vents attached to various sources of emission shall be painted / displayed to facilitate identification.

- (ii) The applicant shall observe the following fuel pattern:

Sr. No.	Type Of Fuel	Quantity	UOM
1	Electricity	--	kw

- (iii) The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Daytime is reckoned in between 6 a.m. and 9 a.m. and nighttime in reckoned between 9 p.m. and 6 a.m.

Other conditions: 1) Industry shall not cause any nuisance into the surrounding area. 2) Industry shall comply with the provisions under the Noise pollution (Regulation and Control) Rule 2000, to control Noise Pollution.

6. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT & TRANSBOUNDRY MOVEMENT) RULES, 2016:

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
1.	NA	—		

7. Whenever due to any accident or gas leakage or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Collector, Directorate of Industry,

Safety and Health, Police Station, Fire Brigade, Directorate of Health services, Department of Explosives, Board and Local body and the production process should be stopped by taking all necessary safety measures.. The industry shall also monitor the emission and ensure that the emission do not cause any harm or nuisance in the surrounding. The industry should not restart the process without permission of the Board and other statutory organization as require under the law.

8. Industry shall comply with following additional conditions:

- i. The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
- ii. The applicant shall bring minimum 33% of the available open land under green coverage/ tree plantation.
- iii. Solid waste – The non hazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- iv. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- vii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- viii. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- ix. As inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- x. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- Xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the

pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.

i. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

9. The Capital investment of the industry is Rs. 611.0/- Lacs.

10. This consent is valid only subject to the permission of local body.

11. Board reserves right of revoke, suspend or amend the consent issued.

12. This consent should not be construed as any exemption from obtaining necessary NOC from other Govt. agencies as may deemed fit necessary.



For & on behalf of
Maharashtra Pollution Control Board

(M. R. Lad)

Sub-Regional Officer, Mumbai-IV

To

M/s. ACG Pam Pharma Technologies Pvt. Ltd.,
Plot No. 66, Govt. Industrial Estate,
Kandivali (W), Mumbai- 400088

Received Consent fee of -

Sr. No.	Amount	DD. No.	Date	Drawn On
1.	125000/-	TXN1705002783	29/05/2017	-

Copy submitted to:

1. Assistant Secretary (Tech), M.P.C. Board, Sion, Mumbai
2. Regional Officer, MPC Board, Govandi, Mumbai.