

MAHARASHTRA POLLUTION CONTROL BOARD

SUB REGIONAL OFFICE, KOLHAPUR

Phone : 0231-2652952 /2660448

Fax : 0231-2652952

Email : srokolhapur@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Udyog Bhawan Near Collector Office,

Kolhapur - 416003

Green/S.S./

Date: 27/08/2018

Consent No: SRO KOLHAPUR/CONSENT/ 1808001125 /283/18

Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2016

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s. SHRI MANGALAM EXPORT

Gat No. 748-559 A, Part C, A/p- Tardal

Tal-Hatkanangale, Dist- Kolhapur.

(Part of Multiparty Power Loom Group)

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of H&OW(M&TM) Rules,2016 and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Establish is granted for a period up to:
Commissioning of the unit OR 5 years whichever is earlier.
2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	Cotton & Synthetic Fabrics	462000	Mtrs/Y
(Only Weaving activity, Without sizing, Bleaching, Dying)			

3. CONDITIONS UNDER WATER ACT:


- (i) The daily quantity of trade effluent from the factory shall be nil.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 0.2M³.

(iii) Trade Effluent : Nil

(iv) Trade Effluent Disposal: Nil

(v) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

(1)	Suspended Solids	Not to exceed	100	mg/l.
(2)	BOD 3 days 27o C.	Not to exceed	100	mg/l.



MPCB-CONSENT-0000051512

- (vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vii) **Non-Hazardous Solid Wastes:**

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1	Cotton Yarn	200	Kg/A		by sell

(viii) **Other Conditions:** Nil

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under

The daily water consumption for the following categories is as under:

- (i) Domestic purpose ... 0.5 CMD
(ii) Water gets Polluted & Pollutants are Biodegradable ... 1.00 CMD
(iii) Water gets Polluted, Pollutants are not Biodegradable & Toxic ... 0.00 CMD
(iv) Industrial Cooling, spraying in mine pits or boiler feed ... 1.00 CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. CONDITIONS UNDER AIR ACT :

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

A) Control Equipment: Industry shall provide dust collector of sufficient capacity to control the emissions.

B) Standards for Emissions of Air Pollutants:

- (i) SPM/TPM Not to exceed 150 mg/Nm³.
(ii) SO₂ Not to exceed -- Kg/Day

(i) **The applicant shall observe the following fuel pattern:-**

Sr. No.	Type Of Fuel	Quantity	UOM
1	Electricity	105	HP

(ii) **The applicant shall erect the chimney(s) of the following specifications:-**

Sr. No.	Chimney Attached To	Height in Mtrs.
	Nil	

- (iii) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



(vi) Other Conditions:

- 1) The industry should not cause any nuisance in surrounding area.

6. CONDITIONS UNDER HAZARDOUS & OTHER WASTE (MANAGEMENT, HANDLING & TRANSBOUNDARY MOVEMENT) RULES, 2016:

(i) The Industry shall handle hazardous wastes as specified below.

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
	Nil			


(ii) Treatment: - NIL

(iii) The unit has to display and maintain the data online outside the factory main gate in Marathi & English both on a 6'x4' display board in the manner and the report of the compliance along with photograph shall be submitted to this office & concerned Regional Office/ Sub Regional Office.

7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

8. Industry shall comply with following additional conditions:

- The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
- The applicant shall bring minimum 33% of the available open land under green coverage/ tree plantation.
- Solid waste – The non hazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- As inspection book shall be opened and made available to the Board's officers during their visit to the applicant.



- x. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.
Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
7. Industry shall obtain Permission/NOC from CGWA (Central Ground Water Authority) towards the use of ground water.
8. Industry shall obtain consent to operate before starting the actual production.
9. This is without prejudice any other permission required under any of the laws, by laws or regulation in force. The Board reserves right to add / amend / revoke any condition in this consent & same shall be binding on the applicant.
10. The Capital investment of the industry is Rs. 341.50 Lacs.



(Prashant Gaikwad)
Sub Regional Officer, Kolhapur

To,
M/s. SHRI MANGALAM EXPORT
Gat No. 748-559 A, Part C, A/p- Tardal
Tal-Hatkanangale, Dist- Kolhapur.

Copy submitted to:

1. The Member Secretary, MPC Board, Mumbai
2. The Chief Accounts Officer, MPC Board, Mumbai
3. Cess wing /Statistical wing/Air wing /Hazardous Management wing MPC Board, Mumbai

Received Consent fee of -

Sr. No.	Amount (Rs.)	Transaction No.	Date	Drawn On
1	15000/-	TXN1808001416	14.08.2018	Success

Copy to:-

1. The Regional Officer, MPC Board Kolhapur.