

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 020-25811627

Fax : 020-25811029

Email : sropune1@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Jog Center, 3rd floor, Mumbai Pune Road
Wakdevadi,

Pune, 411003

Green/S.S.I

Date: 17/07/2018

Consent No: MPCB/1807000667762

Consent to operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous Wastes & Other Wastes (Management, Handling & Transboundary Movement) Rules 2016.

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

.....
CONSENT is hereby granted to

M/s. Shyam Global Technoventures Pvt Ltd
Gat No. 6,B-2, Kasurdi, Khed Shivapur-Saswad
Link Road, Tal - Bhore, Dist - Pune.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to operate is granted for a period up to: - 30/06/2021
2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	Diesel Generator Set (5 KVA to 625 KVA)	100.0	Nos/M
(Without painting, pickling, phosphating, electroplating & any other surface treatment activity)			

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall not exceed **0.0M³/D.**
- (ii) The daily quantity of sewage effluent from the factory shall not exceed **0.1M³/D.**

(iii) **Trade Effluent : NA**

(iv) **Trade Effluent Disposal: Nil**

(v) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

- | | | | |
|-----------------------|---------------|-----|-------|
| (1) Suspended Solids | Not to exceed | 100 | mg/l. |
| (2) BOD 3 days 27o C. | Not to exceed | 100 | mg/l. |

(vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

- pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- iv. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
 - v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
 - vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
 - vii. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
 - viii. As inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
 - ix. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
 - x. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.
 - xi. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
 - xii. Industry shall voluntarily stop the manufacturing activity, if complaints arises against the noise/air/water pollution.
 - xiii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
 - xiv. Board has reserved the right to amend/change/revoke consent.
10. The Capital investment of the industry is Rs. 311.0/- Lacs.

For AND ON BEHALF OF M.P.C.Board,

Nitin Shinde
17/05/18
(Nitin Shinde)
Sub-Regenal officer,
M.P.C.Board, Pune-I

To,
M/s. Shyam Global Technoventures Pvt Ltd
Gat No. 6,B-2, Kasurdi, Khed Shivapur-Saswad,
Link Road, Tal - Bhor, Dist - Pune.

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date
1	15000.0/-	TXN1805001620	16/05/2018