

MAHARASHTRA POLLUTION CONTROL BOARD

REGIONAL OFFICE, KOLHAPUR.

**TEL. NO. (0231) 2652952,
2660448**

FAX NO. (0231) 2652952

E-MAIL:

ROKOLHAPUR@MPCB.GOV.IN



UDYOG BHAVAN,

**NEAR COLLECTOR OFFICE,
KOLHAPUR - 416 003.**

WEBSITE: HTTP://MPCB.MAH.NIC.IN

No. MPCB/RO/KOP/Refusal/ Sangli/18/0000799/18. Date: 18/10/2018.

To,

**M/s. Shri Samarth Stone Crusher
Gut No. 179/A, A/p- Shivani,
Tal- Kadegaon, Dist- Sangli.**

- Sub. : Refusal of Consent to Operate for under section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention & Control of Pollution) Act, 1981.
- Ref. : 1) You application vide UAN No. **MPCB-CONSENT-0000054143**
2) Application submitted by SRO – Sangli.
3) Board has issued scrutiny letter vide dated 18.08.2018
4) Visit Report of Board Officials dated 28.09.2018

WHEREAS, this office is in receipt of your application for grant of consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008.

AND WHEREAS, it is obligatory to obtain valid consent from the Board and to submit all necessary data along with the application and to provide full fledged Effluent Treatment plant/ Air Pollution Control System and operate the same round o'clock so as to achieve the consented standards.

AND WHEREAS, you have applied for the consent to Operate with application no. **MPCB-CONSENT-0000054143**. However the application is not submitted with proper and necessary information.

AND WHEREAS you are operating your unit without obtaining consent to operate from the Board since May 2011. You have not provided water sprinkling arrangement at Jaw Crusher, Conveyor belt & vibrating screen. 5. They have not covered conveyor belts At the time of visit no any representative was present at site also field officer has contacted the telephone mentioned in the online application, but they does not attain the calls You have not submitted explanation regarding the late application, increase in the CI and additional fees of Rs. 6000/- to consider their application for the period up to 30/04/2019, You have yet not submitted their reply or not submitted fees.

AND WHEREAS, SRO Sangli has recommended the application for appropriate necessary action.

NOW THEREFORE, you application for grant of Consent to Renewal is hereby refused under section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention & Control of Pollution) Act, 1981. Hence you are directed not to take any effective steps and stop the production voluntarily and submit the report to this office immediately.

(Nagesh Lohalkar)
Regional Officer, Kolhapur

Copy to:

Sub Regional Officer, MPC Board, Sangli.- for submission of the detailed report along with clear cut remarks within 3 days..