

# MAHARASHTRA POLLUTION CONTROL BOARD

## REGIONAL OFFICE, KOLHAPUR.

TEL. NO. (0231) 2652952,  
2660448  
FAX NO. (0231) 2652952  
E-MAIL:  
ROKOLHAPUR@MPCB.GOV.IN



UDYOG BHAVAN,  
NEAR COLLECTOR OFFICE,  
KOLHAPUR - 416 003.  
WEBSITE: HTTP://MPCB.MAH.NIC.IN

No. MPCB/RO/KOP/Refusal/ Sangli/ 1810000200/12 Date: 17/10/2012

To,

M/s. Hotel Icon Inn.

S. No. 13604/72, Sangli miraj Road, Vishrambag, Sangli Miraj Kupwad (M.Corp), Miraj  
Sangli-416416,

Tal- Miraj, Dist- Sangli.

- Sub. : Refusal of Consent to Operate for under section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention & Control of Pollution) Act, 1981.
- Ref. : 1) You application vide UAN No. **MPCB-CONSENT-0000048078**  
2) Application submitted by SRO – Sangli.  
3) Board has issued scrutiny letter vide dated 09.09.2018

**WHEREAS**, this office is in receipt of your application for grant of consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008.

**AND WHEREAS**, it is obligatory to obtain valid consent from the Board and to submit all necessary data along with the application and to provide full fledged Effluent Treatment plant/ Air Pollution Control System and operate the same round o'clock so as to achieve the consented standards.

**AND WHEREAS**, you have applied for the consent to Operate with application no. **MPCB-CONSENT-0000048078**. However the application is not submitted with proper and necessary information and requisite consent fees.

**AND WHEREAS** you are operating your unit without obtaining consent to Establish and operate from the Board since October 2010. You have not provided Sewage Treatment Plant for the Domestic effluent generated through hotel activity, scientific disposal method adopted for the disposal of kitchen waste, Open space available and details of tree plantation., SSI registration/D.G.T.D license., NOC from local body for proposed industry., Requisite fees, since 2003.

**AND WHEREAS** you have also not provided Sewage treatment Plant to the domestic effluent and disposing the untreated effluent to the municipal gutter.

**AND WHEREAS**, SRO Sangli has recommended the application for appropriate necessary action.

**NOW THEREFORE**, your application for grant of Consent to Renewal is hereby refused under section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention & Control of Pollution) Act, 1981. Hence you are directed not to take any effective steps and stop the activity voluntarily and submit the report to this office immediately.

(Nagesh Lohalkar)  
Regional Officer, Kolhapur

Copy to:

Sub Regional Officer, MPC Board, Sangli.- for submission of the detailed report along