

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701		Kalpataru Point, 2 <sup>nd</sup> - 4 <sup>th</sup> Fl.
Fax: 24024068 / 24023516		Opp. Cine Planet Cinema,
Website: <a href="http://mpcb.gov.in">http://mpcb.gov.in</a>		Near Sion Circle, Sion (E)
E-mail: <a href="mailto:jdair@mpcb.gov.in">jdair@mpcb.gov.in</a>		Mumbai-400 022.

Red/L.S.I.

Consent No: BO/JD(APC)TB-3/UAN No. 50421/R/CC- 1724 Date: 28/12/2018.

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016.

[To be referred as Water Act, Air Act and H& OW (M&TM) Rules respectively].

.....  
CONSENT is hereby granted to

M/s Shah Precicast Pvt. Ltd., (Unit-III),  
C.S. No.490/1 & 496/1, Behind Indane Gas,  
Near Kupwad MIDC, Tal- Miraj, Dist-Sangli.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period up 31/03/2019.
2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Qty.	UOM
1	Steel & Stainless Steel Casting	520.0	MT/M

### 3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall be Nil.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 0.80 M<sup>3</sup>.

(iii) Trade Effluent : Nil


(iv) Treatment: NA

(v) Trade Effluent Disposal: NIL

(vi) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

- |                       |               |     |       |
|-----------------------|---------------|-----|-------|
| (1) Suspended Solids  | Not to exceed | 100 | mg/l. |
| (2) BOD 3 days 27o C. | Not to exceed | 100 | mg/l. |

(vii) Sewage Effluent Disposal: The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.



(viii) Non-Hazardous Solid Wastes:

Sr. No.	Type Of Waste	Qty.	UOM	Disposal
1	Waste Sand	10.0	MT/M	Landfill at designated area
2	Slag	12.0	MT/M	Sale
3	Foundry Returns	190.0	MT/M	Remelting

(ix) **Other Conditions:** Industry should monitor effluent quality regularly.

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under

The daily water consumption for the following categories is as under:

(i) Domestic	...	1.00 CMD
(ii) Industrial Processing	...	---
(iii) Industrial Cooling	...	5.00 CMD
(iv) Agriculture / Gardening	...	---

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. **CONDITIONS UNDER AIR ACT :**

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

a. **Control Equipment:**

Fume extraction system of adequate capacity followed by dust collector shall be provided at source emissions & maintained, operated regularly so as to limit the emissions.

**Standards for Emissions of Air Pollutants:**

- (i) SPM/TPM Not to exceed 150 mg/Nm<sup>3</sup>

- (i) The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity	UOM
1	Diesel	600.0	Lit./Day

- (ii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in mtrs.
1	Induction Furnace FES	20.0
2	Heat Treatment Furnace	15.0
3	Shot Blasting Furnace	7.0

- (iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

- (iv) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

(vi) **Other Conditions:**

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality Regularly.

**6. CONDITIONS UNDER HAZARDOUS & OTHER WASTES (MANAGEMENT & TRANSBOUNDARY MOVEMENT) RULES, 2016:**

(i) The Industry shall not generate the hazardous wastes.

(ii) Treatment: - NIL

1. The industry should comply with the Hazardous & Other Waste s (M & TM) Rules, 2016.

a. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

b. The unit has to display and maintain the data online outside the factory main gate in Marathi & English both on a 6'x4' display board in the manner and the report of the compliance along with photograph shall be submitted to this office & concerned Regional Office/ Sub Regional Office.

**7. Industry shall comply with following additional conditions:**

i. The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.

ii. The applicant shall bring minimum 33% of the available open land under green coverage/ tree plantation.

iii. Solid waste – The non hazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.

iv. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.

v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.

vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.


vii. The firm shall submit to this office, the 30<sup>th</sup> day of September every year, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.

ix. As inspection book shall be opened and made available to the Board's officers during their visit to the applicant.

x. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.



- xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.
- xii. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- xiii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
8. The Board reserves the right to amend or add any conditions in this consent and the same shall be binding on the Applicant.
9. Industry shall extend the existing Bank Guarantee of Rs.- 50,000/- , for further period upto 31/07/2019 (which was valid upto 28/02/2019), submitted by industry towards operation and maintenance of pollution control system so as to achieve consented standards.
10. Industry shall obtain NOC/Permission from Sangli- Miraj- Kupwad Corporation for the use of water for processing, domestic use & other purposes , within 3 months period, otherwise this consent stands cancelled.
11. The Capital investment of the industry is Rs- 13.30 Crore.

  
 (Dr. V. M. Motghare) 22/12/2018  
 Joint Director (Air Pollution Control)

To,  
 M/s Shah Precicast Pvt. Ltd., (Unit-III),  
 C.S. No.490/1 & 496/1, Behind Indane Gas,  
 Near Kupwad MIDC, Tal- Miraj, Dist-Sangli.

Copy to:

- (1) RO- MPCB Kolhapur:- You are directed to extend the existing BG of Rs- 50,000/- for a period upto 31/07/2019 , as per above consent condition at Sr. No. 9, and submit the report within one month period.
- (2) SRO-MPCB Sangli :- For necessary follow up.

Copy to :- CAO/Cess Branch/Master File.

Received Consent fee of -

Sr. No.	Amount(Rs.)	DR No.	Date	Drawn On
1	1,80,000/-	7610978	30/06/2018	Bank of Baroda

NOTE:- 1) Total Fee paid:- Rs.- 1,80,000/-

- 2) Fee deducted is Rs- 15,000/- considering increase in C.I. by Rs.- 3.50 Crore + Rs.- 50,000/- for grant of consent for one year from 30/06/2018 to 31/03/2019.

Hence, Balance fee with MPCB is Rs.- 1,15,000/- & same shall be considered during next renewal of consent.