

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701		Kalpataru Point, 2 nd - 4 th Fl.
Fax: 24024068 / 24023516		Opp. Cine Planet Cinema,
Website: http://mpcb.gov.in		Near Sion Circle, Sion (E)
E-mail: ast@mpcb.gov.in		Mumbai-400 022.

RED/MSI

Date: 21/06/2019

Consent No: Format 1.0/BO/AST/RO-AD/UAN No. 0000059434/R/CC-1906001052

To,
M/s. Radiant Indus Pvt. Ltd.
Plot No.F-15,MIDC,Chikalhana,
Aurangabad-421006

Sub : Renewal of Consent to Operate in RED category.

Ref. : Consent to operate granted vide no. BO/AST/RO/Aurangabad/EIC No.AD-14034/R/CC/2931 Date-26.03.2014 which is valid up to 31.10.2018

Your Application: - MPCB-CONSENT-0000059434

Dated: 26.10.2018

For Consent to Renewal under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (M & T M) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The Consent to Operate is granted for a up to 31.10.2023
2. The capital investment of the industry is 14.57 Cr (Existing-13.89Cr + increased 68 Lakhs) as per C.A. submitted by the Industry.
3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity	UOM
1	Oxalic Acid	1250	MT/M
2	Sodium Nitrate (By Product)	225	MT/A

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	10.2	As per Schedule I	Recycle /reuse in to process & remaining on land for Gardening
2.	Domestic effluent	4.0	As per Schedule I	Used on land for Gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. No.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boiler	1	As per Schedule - II

2	Process Stack	1	As per Schedule – II
3.	D.G. Set(380 KVA)	1	As per Schedule – II
4.	DG Set (500 KVA)	1	As per Schedule – II

6. Conditions under Non Hazardous Solid Wastes for treatment and disposal of hazardous waste:

Sr. no.	Type of Waste	Quantity	UOM	Disposal
1	Coal Ash	2.4	TPD	Sale to Brick
2	Cotton waste	500	Kg/A	Sale

7. Conditions under Hazardous and other Waste (M & TM) Rules, 2016 for treatment and disposal of hazardous waste:

Sr. no.	Type of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Chemical Sludge from waste water treatment	35.3	50	MT/M	—	CHWTSDF

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. The industry shall also comply with the Industry specific standards notified under Environment Protection Act.
11. The applicant shall not carry out any excess production or produce new products without obtaining consent of the Board and Environmental Clearance wherever it's requires. Industry shall comply with provisions of EIA Notification, 2006 and amended thereof.
12. This consent is issued as per the delegation of powers to HOD's vide Board Office Order No. 31/2013 dtd, 01.03.2013.

For and on behalf of the
Maharashtra Pollution Control Board

(P. K. Mirashe)
Assistant Secretary (Tech.)

Received Consent fee of –

Sr. No.	Amount (Rs.)	DD. No.	Date	Drawn On
1	255000/-	7616332	30.10.2018	RTGS

Copy to:

1. Regional Officer, Aurangabad and Sub-Regional Officer, Aurangabad MPCB, -They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. Website updating purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) of Capacity 20 CMD comprising primary & secondary systems.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.


Sr No.	Parameters	Standards prescribed by Board
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	pH	5.5 to 8.5
02	Suspended Solids	100
03	BOD 3 days 27 deg.0	30
04	COD	250
05	Oil & Grease	10
06	TDS	2100
07	Sulphates	1000
08	Chlorides	600

- C) Treated effluent shall be 100 % recycled/ reuse in the manufacturing process and on land for gardening/plantation only in the factory premises. There shall not be any discharge outside the factory premises.
- 2) A] As per your consent application, you have provided soak pit as a treatment for sewage.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
- (1) **Suspended Solids.** Not to exceed **100 mg/l.**
- (2) **BOD 3 days 27oC.** Not to exceed **30 mg/l.**
- C] The treated sewage shall be used on land for gardening/plantation only in the factory premises.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act:

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	202.0
2.	Domestic purpose	4.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1.5
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	10.2
5.	Others: i) Gardening	15.0

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.



Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	SO2 Kg/Day
1	Boiler	Multi cyclone	32	Coal	16.0 MT/D	160
2	Process Stack	Scrubber	25	—	—	—
3	D.G. Set(380 KVA)	Stack	4	Diesel	125 Lit/D	—
4	DG Set (500 KVA)	Stack	5	Diesel		—

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
--------------------	---------------	--------------------------

3. The applicant shall provide specific Air Pollution control equipment's as per the conditions of EP Act, 1986 and rule made there under from time to time/Environmental Clearance/CREP guidelines.
4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Schedule-III

Details of Bank Guarantees

Sr. No.	Bank Guarantee (C to E/O/R)	Amt. of BG imposed (existing)	Submission period	Purpose of BG	Compliance period	Validity period
1	C to O	5 Lakhs (Existing)	—	Towards Compliance of consent Condition and O & M of Pollution control system	—	01.11.2020
2	C to R	5 Lakhs (Fresh)	15 Days	Towards O & M of Pollution control system	31.10.2023	28.02.2024



Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and other Wastes (M&TM) Rules 2016, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous and other Wastes (M&TM) Rules 2016 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous and other Wastes (M&TM) Rules 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution

control system. A register showing consumption of chemicals used for treatment shall be maintained.

16) Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipment's provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can download from MPCB official site).
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

-----0000-----

