

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>

Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E),
Mumbai - 400 022

Red/SSI

Date: 22/09/2019

Consent No: Format 1.0/BO/AST/UAN No. 0000042898/E- 1508000611

To,
M/S. LUCKY AROMA INDUSTRIES,
Plot No. C-17, MIDC CHINCHOLI,
Tal.- Daund, Dist.- Pune.

- Sub : Revalidation of Consent to Establish in Red Category.
Ref: 1. Consent to establish granted by the Board vide No. BO/PAMS/EXEC No. PN-16288-12/CC-03699 dtd. 29.04.2013 which was valid upto 01.08.2018.
2. Your Application vide No. MPCB-CONSENT-0000042898 dtd 17.08.2018.

For Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Handling) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period up to commissioning of the unit or 5 year whichever is earlier.
2. The capital investment of the industry is 50.00 Lakh as per undertaking submitted by the Industry.
3. The Consent is valid for the manufacture of-

Sr. No.	Product / By-Product Name	Maximum Quantity	UOM
1.	CIRAL	2.0	MT/M
2.	BIMATAOPROST	100	Kg/M
3.	METHYL HYDROGENNES CARONATE (MHC)	500	Kg/M
4.	METHYL OCTYNE CARONATE (MOC)	500	Kg/M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	1.30	As per Schedule I	Zero Liquid Discharge.
2.	Domestic effluent	0.6	As per Schedule I	On land for gardening

5. Conditions under Air (P&CP) Act, 1981 for air emissions:-

Sr. No.	Description of stack / source	Number of Stack	Standards to be achieved
1	Boiler	1	As per Schedule II

6. Conditions under Non Hazardous Solid Wastes for treatment and disposal of hazardous waste:-

Sr. no.	Type of Waste	Quantity	UOM	Disposal
		N.A.		

7. Conditions under Hazardous and other Waste (M & TM) Rules, 2016 for treatment and disposal of hazardous waste:

Sr. No.	Type of Waste	Category	Quantity	UOM	Treatment	Disposal
1.	Chemical sludge from waste water treatment	34.3	15	Kg/M	---	Landfilling-CHWTSDF
2.	Chemical Residue	25.1	10.0	Kg/M	---	Incineration-CHWTSDF

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. Industry should obtain the NOC from National Wild Life Board as the industry located in the area which falls under within notified area of Great Indian Bustard Sanctuary before applying consent to operate.
11. Industry shall obtain Environmental Clearance from competent authority before taking any effective steps towards implementation of the project.
As per Para 2 of EIA notification dated-14/09/2006, the effective steps include starting of any construction work or preparation of land by the project management. However as clarified by the MoEF vide office memorandum no. J-1103/41/2006-IA. II(I); Dated 19/8/2010, fencing of the site to protect it from getting encroached & construction of temporary shed(s) for the guard(s) & acquisition of land shall not be treated as an effective steps.
12. This consent is issued as per the delegation of power to HOD's vide Board Office Order No. 31/2013 dtd.1/03/2013.

For and on behalf of the
Maharashtra Pollution Control Board

(P. K. Mirashe)
(P. K. Mirashe)
Asst. Secretary (Tech.)

Received Consent fee of -

Sr. No.	Amount (RS.)	DD No.	Date	Mode of Payment
1.	1,500/-	LAXG6065533411	17.02.2018	Online Transfer

Copy to:

1. The Regional Officer -Pune and Sub-Regional Officer-Solapur,
- They are directed to ensure the compliance of the consent conditions
2. Chief Accounts Officer, MPCB, Mumbai.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A) As per your application, you have provided full-fledged Effluent Treatment Plant (ETP) of comprises of Primary and tertiary treatment followed by Forced Evaporator to achieve the "Zero Liquid Discharge".

B) The effluent generated from your activity shall be treated in comprehensive Effluent Treatment Plant (ETP) consisting of primary, secondary and tertiary treatment followed by RO-Plant and Multiple Effect Evaporator to achieve the "Zero Liquid Discharge".

C) Industry shall provide online monitoring system viz. IP camera and flow meter for ensuring recycling and ZLD and its connectivity to MPCB server.

2) A) As per your consent application, you have provided the septic tank for the treatment of domestic waste water generated from your activity.

B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids. Not to exceed 100 mg/L.

(2) BOD 3 days 27°C. Not to exceed 30 mg/L.

C) The treated domestic effluent shall be used for gardening/plantation purpose within premises. There shall not be any discharge outside the factory premises.

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system and or extension or addition thereto.

4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. no.	Purpose for water consumed	Water consumption quant (CMD)
1.	Industrial Cooling spraying in mine pits or boiler feed	1.50
2.	Domestic purpose	1.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1.0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	00
5.	Others: i) Gardening	0.0

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

[Handwritten Signature]

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	SO ₂ (kg/hr)
1	Boiler (2 TPH)	Dust Collector	33.00	Wood	800 Kg/Hr.	23.04

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
--------------------	---------------	--------------------------

3. The applicant shall provide specific Air Pollution control equipment's as per the conditions of EP Act, 1986 and rule made there under from time to time/Environmental Clearance/CREP guidelines.
4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III

Details of Bank Guarantees

Sr. No.	Bank Guarantee (C to E/O/R)	Amt. of BG imposed (existing)	Submission period	Purpose of BG	Compliance period	Validity period
1.	C to E	50,000/-	15 days	Towards not to take any effective steps towards implementation of the project before obtaining EC.	30.06.2024	31.10.2024

Maharashtra Pollution Control Board

Schedule-IV
General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 3) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipment's, the production process connected to it shall be stopped.
- 4) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 5) The firm shall submit to this office, the 30th day of September every year, the **Environmental Statement Report** for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 6) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW & other waste (M&TM) Rules 2016, which can be recycled/ processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 7) The industry should comply with the Hazardous and other Waste (MH & TM) Rules, 2016 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous and other Waste (MH & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 8) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 9) **The applicant shall made an application for consent to operate before starting the commercial production.**
- 10) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 11) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 12) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 13) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 14) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 15) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 16) **Conditions for D.G. Set**
 - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b. Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

- c. Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f. D.G. Set shall be operated only in case of power failure.
- g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h. The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipment's provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
-

Maharashtra Pollution Control Board

