

# MAHARASHTRA POLLUTION CONTROL BOARD

## REGIONAL OFFICE, KOLHAPUR.

TEL. No. (0231) 2652952,  
2660448  
FAX No. (0231) 2652952  
E-MAIL:  
ROKOLHAPUR@MPCB.GOV.IN



UDYOG BHAVAN,  
NEAR COLLECTOR OFFICE,  
KOLHAPUR - 416 003.  
WEBSITE: HTTP://MPCB.MAH.NIC.IN

No. MPCB/RO/KOP/1910000386/2019 Date: 06/10/2019.

To,  
M/S BASAVESHWAR PRASANNA STONE CRUSHER  
GAT NO 72/1/1/2/1 CHANNEHATTI  
TALUKA CHANDGAD,  
DIST - KOLHAPUR

**Sub. :** Refusal of Consent to Operate under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention & Control of Pollution) Act, 1981.

**Ref. :** 1) Application for consent MPCB Consent No - 0000065806.  
2) Scrutiny letter issued by the Board. Dtd 08-05-2019.

**WHEREAS**, this office is in receipt of your application for grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (Management & Transboundary Movement) Rules, 2016.

**AND WHEREAS** Board has issued the scrutiny letter vide reference no (02).

**AND WHEREAS**, you have not submitted compliance of scrutiny letter till date.

**AND WHEREAS**, You have not provided adequate nos of water sprinkling arrangements, screen not properly covered, conveyor belt not covered, metalled road not provided. Adequate trees are not planted in the periphery of crusher.

**NOW THEREFORE**, your application for **grant of Consent to Operate is hereby refused under section 27 of the Water (Prevention & Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention & Control of Pollution) Act, 1981.**

  
(Ravindra Andhale )  
REGIONAL OFFICER, KOLHAPUR

**Copy to:**

Sub Regional Officer, MPC Board, Kolhapur.- for follow-up.

