### MAHARASHTRA POLLUTION CONTROL BOARD

4010437/4020781 Phone

/4037124/4035273

24044532/4024068 /4023516

Email : enquiry@mpcb.gov.in

Visit At: http://mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E),

Mumbai - 400 022

Consent order No 1.0/BO/CAC-Cell/UAN No:-0000011086-16/CAC-

Date- 01 08 2017

1708000050

M/s. Kalyani Maxion Wheels Pvt. Ltd., (Truck Wheel Plant).,

(Formerly known as Kalyani Hayes Lemmerz Ltd)

Gat no. 635, Kuruli Village, Chakan,

Tal. Khed, Dist. Pune.

Subject: Renewal of Consent to operate with increase in CI under RED category.

: 1] Previous consent to operate granted vide No. BO/CAC-Cell/EIC No. PN- 20109-13/23rd CAC/CAC-3926 dated 28.04.2014.

2| Minutes of CAC meeting held on 24.03.2017

Your application: 0000011086

Dated: 01.08.2016

For: Renewal of Consent to operate with increase in CI under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous & Other Wastes (M & T M) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The consent to operate is granted for a period from 01.10.2016 to 30.09.2019.
- 2. The actual capital investment of the industry is Rs. 248.08 Cr. (Existing CI-Rs. 220.7 Cr + Increased CI-Rs. 27.38 Cr as per CA certificate submitted by industry)
- 3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity
1.	Automobile Wheel	1,00,000 Nos./M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	60	As per Schedule –I	60% Recycle /reuse and remaining on
2.	Domestic effluent	40	As per Schedule –I	land for gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack / source	Number of Stack	Standards to be achieved	
1	Boiler	07	As per Schedule -II	
2	Process Vents	16	As per Schedule -II	
3	DG Set	03	As per Schedule -II	

6. Conditions about Non Hazardous Wastes:

Sr.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1.	Dust	0.62 MT/M		Sale to Brick Mfg.
2.	Metal Scrap	1750 MT/A	- Pa	Sale to Authorized scrap dealers

M/s. Kalyani Maxion Wheels Pvt. Ltd., (Truck Wheel Plant)., SRO Pune II/I/R/ 00000011086

Page 1 of 8

7. Conditions under Hazardous and Other Wastes (M & TM) Rules, 2016 for treatment and disposal of hazardous waste:

Sr.	Type of waste	Category	Quantity	UOM	Treatment	Disposal
1	Wastes and residues	21.1	5.5	MT/M		CHWTSDF
2	Phosphate sludge	12.5	5.5	MT/M		CHWTSDF
3	Chemical sludge from waste water treatment	35.3	8.0	MT/M		CHWTSDF
4	Used /spent oil	5.1	12	MT/M		Sale to authorized re- processor
5	Chemical sludge, oil and grease skimming residues	35.4	4.0	MT/M		CHWTSDF
6	Wastes/residue containing oil	5.2	2.0	MT/M	9	CHWTSDF
7	E waste		0.05	MT/M	(O)	Sale to authorized re- processor

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the Maharashtra Pollution Control Board

> (Dr. P. Anbalagan) IAS Member Secretary

#### Received Consent fee of -

Sr. No.	Amount (Rs.)	DR. No.	Date	Drawn On
1.	Rs. 14,88,480/-	0182705	03.08.2016	State Bank of India
2.	Rs. 75,000/-	0198883	25.05.2017	State Bank of India

#### Copy to:

- Regional Officer-MPCB, Pune- Sub-Regional Officer-II, M.P.C.B, Pune- They
  are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

# Schedule-I Terms & conditions for compliance of Water Pollution Control:

- A] As per your application, you have provided the Effluent Treatment Plant (ETP) cum sewage Treatment plant with the design capacity of 105 CMD for combined treatment of trade & domestic effluent.
  - B] The Applicant shall operate the combine effluent treatment plant (ETP) cum Sewage treatment plant (STP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (Limiting Concentration in mg/l, except for pH)
1	рН	5.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	Suspended Solids	100
5	COD	250
6	Cynide	0.2
7	TAN	50
8	TRC	1.0
9	Cadmium	2.0
10	Nickel	3.0
11	Zinc	5.0
12	Total Chromium	0.1
13	Copper	3.0
14	Lead	0.1
15	Iron	3.0
16	Ammonical Nitrogen	50
17	Sulphate	1000
18	Chloride	600

- C] The 60% treated trade effluent shall be reuse/recycle in the process, cooling tower, toilet flushing etc and remaining shall be used on 5.24 acres of land for gardening/irrigation after confirming to above standards. In no case, effluent shall find its way outside factory premises.
- 2) A] As per your application, you have provided the Effluent Treatment Plant (ETP) cum sewage Treatment plant with the design capacity of 105 CMD for combined treatment of trade & domestic effluent.
  - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

/11	0 1 10 11			Servingen
(1)	Suspended Solids.	Not to exceed	50	mg/l.
(2)	BOD 3 days 27°C.	Not to avoned		0
	COD		30	mg/l.
(3)	COD	Not to exceed	100	mg/].

- C] The 60% treated trade effluent shall be reuse/recycle in the process, cooling tower, toilet flushing etc and remaining shall be used on 5.24 acres of land for gardening/irrigation after confirming to above standards. In no case, effluent shall find its way outside factory premises.
- D] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption
1.	Industrial Cooling, spraying in mine pits or boiler feed	quantity (CMD)
2.	Domestic purpose	
3.	Processing whereby water gets polluted &	48
	pollutants are easily biodegradable	69
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	——————————————————————————————————————

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

# Schedule-II Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs	Type of Fuel	Quantit y & UoM	S %	SO2 Kg/day
1	Hot water generator		17	Natural Gas	550 SCM		
2	Primer Oven Heat Box		8.0	Natural Gas	550 SCM		
3	CED Top coat (Primer oven burner		10	Natural Gas	550 SCM		
4	Top coat heat box		8.0	Diesel	400 Lit/D	1	8
5	Top coat Oven burner		10	Diesel	400 Lit/D	1	8
6	Heat Box (west)		12	Natural Gas	550 SCM		
7	Oven (west)		12	Natural Gas	550 SCM		
8	Phosphating tank	Water scrubber	8.0	NA	NA		
9	Pre-degreasing tank		8.0	NA	NA		
10	Activation Tank		8.0	NA	NA		
11	CED Primer tank		5.0	NA	NA		
12	Paint Kitchen		8.0	NA	NA		
13	Flash Off Zone 1		8.0	NA	NA		
14	Flash Off Zone 2	0.0	8.0	NA	NA		
15	Clear coat spray booth	2	8.0	NA	NA		***
16	Top coat spray booth	J	8.0	NA	NA		
17	Flash Off Zone (old paint shop)		14	NA	NA		
18	Spray booth (old paint shop)		14	NA	NA		
19	Spray booth( old paint shop)		14	NA	NA		
20	Derusting (old paint shop)		10	NA	NA		
21	Phosphating (old paint shop)	Water Scrubber	10	NA	NA		
22	Shot blasting	Dust Collector	4.0	NA	NA		
23	Shot blasting	Dust Collector	4.0	NA	NA		***
24	DG set (1250 KVA)	Acoustic enclosure	18	Diesel	1000 Lit/D	1	20
25	DG set (1250 KVA)	Acoustic enclosure	18	Diesel	1000 Lit/D	1	20
26	DG set (165 KVA)	Acoustic enclosure	17	Diesel	100 Lit/D	1	20

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	120
	Not to exceed	$150 \text{ mg/Nm}^3$ .

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

## Schedule-III Details of Bank Guarantees

Sr. No.	Conse nt (C to E/O/R)	Amt of BG Imposed	Submissio n Period	Purpose of BG	Complian ce Period	Validity Date
1	C to R	Rs. 5 Lakh (To be extended)	15 days	O & M of Pollution Control system so as to achieve the consented standards	Continue	31.12.2019

### Schedule-IV

### General Conditions:

- The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the H&OW(M&TM) Rules 2016, which can be recycled /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration
- 9) The industry should comply with the Hazardous & Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous & Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity (in case of Consent to establish).
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control

system. A register showing consumption of chemicals used for treatment shall be

18) Conditions for D.G. Set

a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.

- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use

f) D.G. Set shall be operated only in case of power failure.

- g) The applicant should not cause any nuisance in the surrounding area due to operation
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel

19) The industry should not cause any nuisance in surrounding area.

20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

21) The applicant shall maintain good housekeeping.

22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.

23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior

25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).

27) The industry shall submit official e-mail address and any change will be duly informed to

28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

—0000—