

Information required in respect of M/s. Balaji Heart Hospital & Diagnostic Centre, Byculla (E), Mumbai

Chetan Sawant

Sent: Thursday, April 20, 2017 11:47 AM

To: balajihospital@gmail.com; SRO Mumbai1

Cc: Dr.Amar Supate; RO Mumbai

Sir,

As directed by PSO it is to inform you that this office has received application of M/s. Balaji Heart Hospital & Diagnostic Centre, Byculla (E), Mumbai. In this regard following documents are required as under,

- 1) Copy of membership of M/s. SMS Envoclean
- 2) BMW Annual report for the year 2016 certified by facility operator.
- 3) Water consumption for Domestic and Effluent generation in CMD.
- 4) Detail of STP capacity and feasibility report is required.
- 5) D.G. set of capacity, stack height, type and quantity of fuel used is required in lit/hr.
- 6) Revised C.I. in format including cost of land and if applicable consent and authorization fee incoterminus with BMW authorization for a period upto 04.06.2018.
- 7) Self attested undertaking stating date of commissioning and non applicability of EC is required.

You are informed to submit the same by return email within 7 days for considering C to E.

SRO- Mumbai-I is also informed to ensure submission of same to HQ.

With Regards,

Chetan A. Sawant,
JSA- PSO Division