

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E),
Mumbai - 400 022

Consent order No: - BO/CAC-Cell/UAN No.- 0000024898-17-CAC-

Date- 19/01/2018

To,
M/s. Endurance Technologies Ltd.,
(Alloy Wheel Division)
Plot No. B-22, MIDC Chakan
Village Nighoje, Tal-Khed,
Dist-Pune-410501.

1801000770

Subject: Renewal of Consent to Operate with increase in CI in RED category.

Ref : 1. Earlier Consent granted vide no. BO/JD (APC)/EIC No.PN20967-14-CAC-7550 dtd. 12.08.2014 which is valid upto 31.05.2017.
2. Minutes of CAC meeting held on 27.09.2017.

Your application:- 0000024898.

Dated: 12.04.2017

For: Renewal of Consent to Operate with increase in CI under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous and Other Wastes (M & T M) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from 01.06.2017 to 31.05.2022.
2. The actual capital investment of the industry is Rs. 98.865 Crs. (Existing CI- Rs. 90.44 Cr + Increased CI- Rs. 8.42 Cr as per C.A. Certificate submitted by industry)
3. The Consent is valid for the manufacture of-

Sr. No.	Product / By-Product Name	Maximum Quantity
1.	Aluminium Alloy Wheel for Two Wheeler	2,50,000 Nos./M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	20	As per Schedule -I	28 CMD Recycle/Reuse in the process, toilet flushing and remaining 22 CMD shall be used on land for gardening/ plantation
2.	Domestic effluent	30	As per Schedule -I	

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1	Remelting Furnace	1	As per Schedule -II
2	Melting Furnace (2 Nos.)	1 (common)	As per Schedule -II
3	DG Set (2 Nos.)	2	

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
4	Shot Blasting (3 Nos.)	1 (common)	As per Schedule -II
5	Briquette Chip Dryer	1	As per Schedule -II
6	Degreasing Tank Exhaust	1	As per Schedule -II
7	Paint Baking Oven	1	As per Schedule -II
8	Pretreatment Stage 1, 4 and 7	1 (common)	As per Schedule -II
9	Pretreatment Stage 11 to 13	1 (common)	As per Schedule -II
10	Paint Booth No.1 and Flash Off	1	As per Schedule -II
11	Paint Booth No. 2	1	As per Schedule -II
12	Paint Booth No.3 & Touch up Spray	1	As per Schedule -II
13	Paint Booth 3A and Flash Off Zone	1	As per Schedule -II
14	Paint Booth 2A and Flash Off Zone No.2	1	As per Schedule -II
15	Paint Booth 1A and Flash Off Zone No.1	1	As per Schedule -II
16	Welmech Furnace & Aging Furnace (02 Nos.)	1 (common)	As per Schedule -II
17	China Furnace & Aging Furnace (02 Nos.)	1	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Aluminum Chips	1600 Kg/A	---	Sale to authorized vendor
2	Corrugated Boxes	2500 Kg/M	----	Sale to authorized vendor
3	Wire mesh with Aluminium	5000 Kg/M	----	Sale to authorized vendor
4	MS Scrap	3 MT/M		Sale to authorized vendor
5	Shot blasting Dust	2 MT/M		Sale to authorized vendor
6	Aluminum Dross	1000 Kg/day		Sale to authorized recycler
7	Plastic waste	50 Kg/day		Sale to authorized vendor


7. Conditions under Hazardous and Other Wastes (M & TM) Rules, 2016 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Paint Sludge (waste and residue)	21.1	11	MT/M	---	CHWTSDF
2	Discarded Container	33.1	2400	No's/M	---	Authorized re-processor
3	Used/Spent Oil	5.1	1000	Lit/M		Authorized re-processor
4	Chemical sludge from ETP	35.3	2	MT/M	---	CHWTSDF
5	Flue Gas Dust & Other particulates	11.4	100	Kg/M	---	CHWTSDF
6	Waste/residue containing oil (cotton waste)	5.2	2	MT/M	---	CHWTSDF
7	Filters and Filter material which have organic liquid	35.1	100	Nos./M	---	CHWTSDF

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
8	Residue and Waste	31.1	50	Nos./M	---	CHWTSDf

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the
Maharashtra Pollution Control Board


(Dr. P. Anbalagan) IAS
Member Secretary

Received Consent fee of -

Sr. No.	Amount (Rs.)	DR. No.	Date	Drawn On
1	₹. 6,25,000/-	0197761	15.05.2017	Standard Chartered Bank
2	₹. 25,000/-	7603443	11.01.2018	Standard Chartered Bank

Copy to:

1. Regional Officer - Pune- *He is directed to return the BG of Rs. 2 lakh obtained towards submission of APC system details at all furnaces as industry has submitted the same reported by SRO.*
2. Sub-Regional Officer- Pune-II, MPCB, Pune. They are directed to ensure the compliance of the consent conditions.
3. Chief Accounts Officer, MPCB, Mumbai.
4. CC/CAC desk- for record & website updation purposes.

Schedule-I
Terms & conditions for compliance of Water Pollution Control

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 20 CMD consisting primary treatment system further treated in common secondary and tertiary treatment system provided in STP with the design capacity of 60 CMD and also proposed to upgrade the tertiary treatment system by installation of UF and RO system.


B] The Applicant shall operate the effluent treatment plant (ETP) cum Sewage Treatment plant (STP) to treat the trade & domestic effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (Limiting Concentration in mg/l, except for pH)
01	pH	5.5-9.0
02	Oil & Grease	10
03	BOD 3 days at 27°C	30
04	C. O. D.	250
05	T. D. S.	2100
06	Suspended Solid	100
07	Iron as Fe	3.0
08	Total Metal	5.0

C] Industry shall recycle 28 CMD treated effluent in the process, cooling tower toilet flushing etc. and remaining 22 CMD treated effluent shall be used on land for gardening/plantation purpose developed on 1.1 after confirming the above standards. In no case effluent shall find its way outside factory premises.

D] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.



Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	30
2.	Domestic purpose	60
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	30
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	Nil

- 5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.



Schedule-II

Terms & conditions for compliance of Air Pollution Control:

- As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1.	Melting Furnace	Scrubber	30	PNG	125 Kg/Hr	---	---
2.	DG Set (750 KVA x 2 Nos.)	Acoustic enclosure	30 each	HSD	150 Ltrs/Hr each	1	144
3.	Melting Furnace No. 3	---	30 (common)	PNG	125 Kg/Hr	---	---
4.	Melting Furnace No. 4			PNG	125 Kg/Hr	---	---
5.	Shot Blasting 1, 2 and 3	Dust collector	20 (common)	---	---	---	---
6.	Briquette chip Dryer	Wet scrubber	20	PNG	22 Kg/Hr	---	---
7.	Degreasing Tank Exhaust	Fume extraction	22	---	---	---	---
8.	Paint Baking Oven	Fume extraction	30	PNG	25 Kg/Hr	---	---
9.	Pretreatment Stage 1, 4 and 7	Fume extraction	20 (common)	---	---	---	---
10.	Pretreatment Stage 11 and 13	Fume extraction	20 (common)	---	---	---	---
11.	Paint Booth 1B and Flash Off	Air filters	20	---	---	---	---
12.	Paint Booth 2B	Water curtain	20	---	---	---	---
13.	Paint Booth 3B & Touch up Spray	Fume extraction	20	---	---	---	---
14.	Paint Booth 3A and Flash Off Zone	Fume extraction	20	---	---	---	---
15.	Paint Booth 3A and Flash Off Zone	Fume extraction	20	---	---	---	---
16.	Paint Booth 2A and Flash Off Zone No. 2	Fume extraction	20	---	---	---	---
17.	Paint Booth 1A and Flash Off Zone No.1	Fume extraction	20	---	---	---	---
18.	Welmech Furnace & Aging Furnace (02 Nos.)	---	20 (common)	PNG	84 Kg/Hr	---	---
19.	China furnace & Aging Furnace (02 Nos.)	---	20	PNG	90 Kg/Hr	---	---
20.	Re-melting Furnace	---	17	LSD / FO	62 Ltrs/Hr	9	134

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
Acid Mist	Not to exceed	35 ppm

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs. 5 lakhs	15 days	Towards O&M of pollution control system	Continuous	31.8.2022



Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the H&OW(M&TM) Rules 2016, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazarsous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity (in case of Consent to establish).
- 13) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 14) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 15) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 16) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the

- pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 17) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 18) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 19) Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 20) The industry should not cause any nuisance in surrounding area.
- 21) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 22) The applicant shall maintain good housekeeping.
- 23) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 24) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 25) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 26) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 27) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 28) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 29) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

—0000—