


MAHARASHTRA POLLUTION CONTROL BOARD			
Phone :	(022)- 25505928		Kalpataru Point, 2 <sup>nd</sup> floor, Sion-
Fax :	(022)- 25505926		Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E),
Email :	<a href="mailto:romumbai@mpcb.gov.in">romumbai@mpcb.gov.in</a>		Mumbai - 400 022
Visit At :	<a href="http://mpcb.gov.in">http://mpcb.gov.in</a>		

"Your Service is our Duty"

No: MPCB/CD - **2407300005**

Date: **30 / 7 / 2024**

To,  
M/s. Jay Laxmi Electroplaters,  
Gala No. 1, Azad Chawl,  
Hanuman Nagar, Near Kabrastan,  
Kandivali (E), Mumbai-400101.

**Sub:** - Closure Directions u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 and/or u/s 31A of the Air (Prevention & Control of Pollution) Act, 1981.

**Ref:** 1. Board Official visited on 22.06.2024 to your industry.  
2. Office Note approved on 29/07/2024(**040724024**)

...

**WHEREAS**, it is obligatory on your part to obtain Consent to Establish and Consent to Operate from the Maharashtra Pollution Control Board under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981 & Authorization under the provisions of the Hazardous and Other Wastes (Management and Trans-boundary Movement) Rules, 2016. It is also obligatory on your part to provide adequate pollution control devices.

**AND WHEREAS**, a complaint was received against your industry. In order to verify the complaint or news, the officials of the Board at SRO Mumbai-IV have visited the site at M/s Jay Laxmi Electroplaters, Gala No. 1, Azad Chawl, Hanuman Nagar, Near Kabrastan, Kandivali (E), Mumbai-400101 on 03.07.2024 and observed as follows:

1. You are engaged in manufacturing imitation jewelry with electroplating i.e. nickel, copper and acid cleaning.
2. Industry operating without consent to establish and operate.
3. You have not provided ETP for treatment of process effluent, untreated effluent discharged into sewage line.
4. You have not provided an adequate air pollution control system i.e. Scrubber.
5. You have not obtained membership of CHWTSDF for scientific disposal of Hazardous waste.

**AND WHEREAS**, after examining the record of your case, the reports of the officers of the Board, it has been observed that you are operating your unit without obtaining consent from the Board under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981 and adequate pollution control devices, thereby polluting in the surrounding area.

**NOW THEREFORE**, in view of the above non-compliances, you are hereby directed to stop your manufacturing activities forthwith, failing which, the Board will have no option than to initiate appropriate legal action under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981.

This direction is issued with approval of competent authority of the Board.

For and on behalf of  
Maharashtra Pollution Control Board



(S. R. Bhosale)  
Regional Officer, Mumbai

**Copy submitted for information :-**

1. The Member Secretary, MPCB, Sion, Mumbai – for favour of information.
2. Joint Director (APC) MPCB, Sion, Mumbai – for information.
3. Regional Officer (BMW) MPCB, Sion, Mumbai – for information
4. Law Officer MPCB, Mumbai.

**Copy to:**

1. Executive Engineer, MSEDCL /Adani Electricity/Tata Power Company/BEST -He is directed to disconnect electric supply of M/s. Jay Laxmi Electroplaters, Gala No. 1, Azad Chawl, Hanuman Nagar, Near Kabrastan, Kandivali (E), Mumbai-400101
2. Asst. Commissioner, "R/S" Ward, MCGM, Mumbai-He is directed to disconnect the water supply of the unit of M/s. Jay Laxmi Electroplaters, Gala No. 1, Azad Chawl, Hanuman Nagar, Near Kabrastan, Kandivali (E), Mumbai-400101.
3. Sub-Regional Officer (Mumbai-IV), M.P.C. Board. - He is directed to ensure that above direction is served to the industry & all concerned and take necessary follow-up towards compliance of the direction & submit Action taken report.