

MAHARASHTRA POLLUTION CONTROL BOARD
Regional Office, Nagpur

Website : mpcb.mah.nic.in
E-Mail : ronagpur@mpcb.gov.in
Fax : 2560851
Phone : 2565308, 2560139



Regional Office,
5th Floor, Udyog Bhawan,
Civil Lines,
Nagpur.-440 001.

No. MPCB/PD/ 230303080002

Date:- 08/03/2023

To,
M/s. N.P. Infra Projects Pvt. Ltd.,
Gut No 87/1,87/2, VIII- Met Panjra,
Tq. Katol Dist Nagpur.

Sub : Proposed Directions under Section 33(A) of the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981.

- Ref :**
1. Compliant received from local villages Shri Shubham Arkhel & Others dtd 13/02/2023.
 2. The Board official SRO Nagpur-I Visit to Industry on 14/02/2023.
 3. Sub-Regional Office, Nagpur-I issue Warning Notice vide no MPCB/SRON-I/2302160001 dtd 16/02/2023.
 4. This office Show Cause Notice vide no MPCB/SCN/2302210003 dtd 21/02/2023.
 5. Your Show Cause Notice reply dtd 01/03/2023.
 6. Sub-Regional Officer, Nagpur-I forwarded legal action report through Legal module on 03/03/2023.

WHEREAS, you are operating your industry in Water Pollution Control area and Air Pollution Control Area declared under the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 respectively.

AND WHEREAS, it is mandatory on your part to obtained consent to operate from the Board and comply with the consent condition and to operate and maintain comprehensive pollution control system to avoid any type of pollution in the nearby area.

AND WHEREAS, Board official received Show Cause Notice reply dtd 01/03/2023. It is observed not satisfactory. Sub Regional Officer Nagpur-I reported the following non-compliances as per ref. no. 6 :-

1. You have failed to submit considerable reply of Show Cause Notice issue dtd 21/02/2023.
2. You have failed to submit time bound compliance report as well as required documents photographs.
3. You have failed to provide effluent treatment plant for generated effluent from boon crushing section, due to which untreated blood contaminated effluent discharge outside factory drainage system.

(2)

4. You have failed to obtain CGWA NOC for ground water extraction.
5. You have failed to dispose ash generating from boiler due to which stored unscientifically near boiler.
6. You have stored animal parts unscientifically backside near boiler in open space area due to which smell nuisances in surrounding area.

AND WHEREAS, it seems that, you are knowingly and willingly causing the grave injury to the Environment by creating pollution in the nearby area.

NOW, THEREFORE, in exercise of the powers conferred upon the undersigned under section 33A of the Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981 I, hereby issue Proposed Directions against your industry as follows:

1. **Why your industry shall not be directed to stop the further manufacturing activities henceforth?**
2. **Why the competent authority shall not be directed to disconnect water/electricity supply to your project?**

You shall submit your reply/objections within a period of 07 days from the date of receipt of these directions, failing which the Board will be constrained to issue appropriate final directions, as may deem fit in your case, which may be noted.

**For and behalf of the
Maharashtra Pollution Control Board**


(A.M. Kare)

Regional Officer, Nagpur

Copy submitted to:

1. The Hon'ble Member Secretary, M.P.C.B. Mumbai.
2. The Joint Director (WPC), M.P.C. Board, Mumbai.
3. The Law Officer (HQ) M.P.C. Board, Mumbai.

Copy to: - 1. Sub-Regional Officer, M.P.C. Board, Nagpur-I.

- You are directed to serve the copy of Proposed Direction to the industry and also submit the Compliance against Directions.

Copy to Master file, Nagpur.