


<b>MAHARASHTRA POLLUTION CONTROL BOARD</b>		
<b>Phone :</b>	(022)- 25505928	
<b>Fax :</b>	(022)- 25505926	
<b>Email :</b>	<a href="mailto:romumbai@mpcb.gov.in">romumbai@mpcb.gov.in</a>	
<b>Visit At :</b>	<a href="http://mpcb.gov.in">http://mpcb.gov.in</a>	
		Kalpataru Point, 1 <sup>st</sup> floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai - 400 022

"Your Service is our Duty"

No: MPCB/ROM/PD/TB - 2206270004

Date: 27/06/2022

To,  
M/s. Naisha Gold  
Gala No. 207, 2nd Floor,  
Vaishali Industrial Estate Arch-II,  
Mahra Wadi, Dahisar (W), Mumbai – 400 068.

**Sub:** Proposed directions u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 31A of the Air (Prevention & Control of Pollution) Act, 1981

- Ref:**
1. Consent to operate granted by Board is valid up to 31/03/2028.
  2. Complaint received against your industry
  3. Board official visited on 15/06/2022
  4. Legal proposal submitted by SRO M-IV on 21/06/2022

...

**WHEREAS**, the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 are applicable to the State of Maharashtra as declared in official gazette.

**AND WHEREAS**, it is obligatory on your part to obtain Consent from the M. P. C. Board. AND, it is also obligatory on your part to provide adequate Water & Air pollution control arrangements so as achieve the prescribed standards under the Environment Act & Rules and not to cause nuisance of pollution in the surrounding area.

**AND WHEREAS**, complaint was received against your industry & Board officials visited your industry vide reference 2 above & reported following non-compliance;

1. You have not provided adequate air pollution control system as compact scrubber body with scrubber tank placed at loft (cannot be monitored & operated). The yellowish Sulphuric / Nitric acid fumes are being discharged into environment & creating nuisance to nearby residents.
2. You have not provided effluent treatment plant.
3. You have not obtained CHWTSDF Membership for disposal of Hazardous waste.


**AND WHEREAS**, this shows your negligent attitude towards compliance of provision of environmental enactments.

**NOW THEREFORE**, in exercise of the power confirmed by the Board upon me u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 & u/s 31A of the Air (Prevention & Control of Pollution) Act, 1981 following proposed direction are issued against your unit as to –

- 1) Why your existing activity shall not be closed down?
- 2) Why the competent authorities shall not be directed to disconnect water & electricity supply for closing down activity.
- 3) Why legal action shall not be initiated against your activity for violations of above Consent conditions

Your reply shall reach this office from the receipt of these directions within a period of 7 days, failing which, appropriate action will be initiated against your industry, which please note.

For and on behalf of  
Maharashtra Pollution Control Board

  
(S. R. Bhosale)

Regional Officer, Mumbai

**Copy submitted to:-**

1. Asst. Secretary (Tech.), MPC Board, Sion, Mumbai – for information.

**Copy to:**

- 1) Sub Regional Officer, MPC Board, Mumbai -IV  
- He is directed to serve copy of direction to industry, take necessary follow-up towards compliance of the direction and submit Action taken report.
- 2) Master File.