

# MAHARASHTRA POLLUTION CONTROL BOARD

Regional Office, Kalyan

Tel: (0251) 2310167/2310212

Fax: (0251) 2310192

Website: <http://mpcb.mah.nic.in>

E-mail: [rokalyan@mpcb.gov.in](mailto:rokalyan@mpcb.gov.in)



"Your Service is our Duty"

Siddhivinayak Sankul,  
3rd Floor, Near Oak Baug,  
Station Road,  
Kalyan (West) – 421 301.

No. MPCB/ID/TB- 2407030001

Date: 03 / 07 / 2024

To,  
M/s. ALA Industrial Corporation,  
Plot No. W-10, MIDC Phase-II, Dombivali (E),  
Tal.- Kalyan, Dist.- Thane.

**Sub: Interim Directions under section 33A of the Water (Prevention & Control of pollution ) Act 1974 & under Section 31A of the Air (Prevention & Control of Pollution) Act, 1981.**

**Ref:-** 1) Consent granted by MPC Board.

2) Fire Incidence occurred in M/s Amudan Chemicals Pvt Ltd on dtd.23/5/2024.

3) Survey Order of Chemical Industries in MIDC Dombivli Area dtd.24/05/2024.

4) Visit of Board official to your unit on 26/05/2024.

5) Proposal received from Sub-Regional Officer, Kalyan-I having No. 260524001.

6) Approval received from Competent Authority of the Board.


7) Proposed Direction issued by Board vide dtd.11/06/2024.

8) Personal Hearing extended to you dtd.20/06/2024.

.....  
During the course of personal hearing extended to you on dtd.20/06/2024, Non-compliances with respect to ref. No.4, 6 and consent conditions were discussed. Considering your assurance made during the course of hearing, following directions are issued for immediate compliances,

- 1) You shall operate and maintain Air Pollution Control system (APCs) regularly and effectively to achieve consented standard.
- 2) You shall operate and maintain Water Pollution Control system (WPCs) regularly and effectively to achieve consented standard.
- 3) You shall dispose of hazardous waste regularly to CHWTSDF.
- 4) You shall submit a penalty of Rs. 1,00,000/- to this office within 7 days for non-disposal of hazardous waste as above ref. 6.
- 5) You shall submit bank guarantee of Rs.25,000/- within 7 days towards consent conditions.
- 6) In case failure of any pollution control system, you shall voluntarily suspend the related manufacturing activity and report to the Board, immediately.

In case of your failure to comply with the above directions, Board will proceed against you as per the provisions of the Water (P&CP) Act, 1974 and Air (P&CP) Act, 1981, Which may please be noted.

  
Dr. R. A. Rajput  
Regional Officer, Kalyan

**Copy submitted for information to:**  
Regional Officer (BMW), MPC Board, Sion, Mumbai.

**Copy to:**

- 1) Sub-Regional Officer, MPC Board, Kalyan-I– You shall carryout regular monitoring of industry & submit report w.r.t. Consent Condition/Direction/Bank Guarantee and their compliances within 15 days.
- 2) Master file.