


MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272		Regional Office, Thane
Fax : 25805398		5 th Floor, Office Complex Bldg.,
Website: http://mpcb.gov.in		Near Mulund Check Naka,
E-mail Id: rothane@mpcb.gov.in		Wagle Estate, Thane-400 604.
“Your Service is our Duty”		

No: MPCB/ROT/ID/2307310001

Date: 31/07/2023

To,

M/s. Mohini Organic Private Limited,
Plot No: T-77,78,79 & 79 (part), MIDC Tarapur,
Tal. & Dist. Palghar.

Sub:- Interim Directions under section 31 A of the Air (Prevention & Control of Pollution) Act, 1981 and under section 33 A of the Water (Prevention & Control of Pollution) Act, 1974.

Ref: 1) Show Cause Notice for closure issued dtd. 13/06/2023.
2) Your reply uploaded on dtd. 20/06/2023.
3) Personal hearing extended to you on dtd. 20/06/2023.
4) Action proposal vide Legal Unique No. MPCB-LEGAL_ACTIONS- 060623004.

This is with reference to the Show Cause Notice for closure issued by MPC Board vide above referred letter at Sr. No.2 & personal hearing held before the undersigned on 20/06/2023. During the course of personal hearing you have informed about the steps being taken to comply various non-compliances mentioned in the Show Cause Notice for closure and has also assured to take suitable action in time bound manner as per your reply dtd. 20/06/2023. Accordingly, following interim directions are issued for immediate compliance, which were also informed to you during the course of hearing.

- 1) You shall apply and obtain amendment in existing consent for the deletion/ removal of 2-nos of Thermopacks from existing consent immediately.
- 2) You shall operate & maintain existing Effluent treatment plant (ETP) and advance treatment system as mentioned in the consent schedule-I 1(A) continuously to achieve consented standard. There shall not be any leakages, spillage and discharge outside factory premises.
- 3) You shall operate & maintain existing Air Pollution Control devices (APCs) continuously so as achieve consented standards.
- 4) You shall provide online monitoring system i.e. IP Camera and flow meter to ensure the Zero Liquid Discharge (ZLD) and assure its connectivity to the MPCB server within 15-days.
- 5) You shall dispose generated/stored Hazardous waste (HW) regularly through authorized HW transporter in stipulated time to CHWTSDF / authorized reprocessor and shall follow online manifest system. The record of disposal of Hazardous waste shall be submitted to SRO Tarapur-I on quarterly basis.
- 6) You shall obtain certification / confirmation towards drainage disconnection from MIDC being ZLD unit within 15-days.
- 7) You shall strictly comply with consent conditions and earlier directions issued time to time.
- 8) Your existing Bank Guarantee of Rs. 1.0 Lakh shall be herewith stands forfeited and you shall submit top up Bank Guarantee of Rs. 2.0 Lakh towards compliance of these directions & consent conditions within 15-days.

In case, you fail to comply with the above directions M.P.C. Board will have no alternative but to issue appropriate final directions to close down your industry with disconnection of Electricity / Water supply which please be note.



(R. B. Andhale)
Regional Officer, Thane

Copy submitted to:-

- 1) Member Secretary, M. P. C. Board, Mumbai.
- 2) Asst. Sec. (Tech), M.P.C. Board Mumbai.

Copy to:-

Sub-Regional Officer, M. P. C. Board, Tarapur-I - for timely follow up & verification of compliance of above directions.