

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 0253-2365150

Fax : 0253-2365140

Website: <http://mpcb.gov.in>.

E-Mail: ronashik@mpcb.gov.in



Udyog Bhavan, First Floor Trimbak
Road, Near ITI, Satpur, Nashik-
422007.

-----"Your Service is our Duty"-----

BY R.P.A.D./FAX/HAND DELIVERY

L. No: MPCB/RONK/CD/157/1126

/2022

Date:-10/6/2022.

To,
M/s. Durga Poly Therm Pvt. Ltd.
Plot No. A-16, MIDC Ahmednagar,
Tal. Dist. Ahmednagar.

Sub:- Closure Directions under Section 33 A of Water (P & CP) Act, 1974 & Under Section 31 A of Air (P & CP) Act.1981.

Ref: - 1. Consent to Operate valid upto 31.03.2012.
2. Visit of the Board Official dtd. 02.06.2022.
3. Proposal of SRO Ahmednagar vide no. MPCB-LEGAL_ACTIONS-020622014.

WHEREAS, it is mandatory and obligatory on your part to abide the conditions stipulated under Consent to Operate granted by Maharashtra Pollution Control Board under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 21 of Air (Prevention & Control of Pollution) Act, 1981 and Hazardous & Other Waste (Management, Handling & Tran boundary Movement) Rules, 2016 for running your industrial activity at aforesaid location vide above reference cited at 1.

ANDWHEREAS, The use of Banned Plastic Thermocol Product as per Maharashtra Plastic and thermocol product notification, 2018 is not permitted, and you are manufacturing Thermocol product.


ANDWHEREAS, below non- compliance are observed during visit of the Board official on 02.06.2022.

1. The Industry is operating without obtaining valid consent from the Board from 2012.
2. The Industry is manufacturing thermocol which is banned as per Maharashtra Plastic and thermocol product notification, 2018.
3. The industry has not obtain EPR for production of thermocol.
4. The Industry has not provided disposal arrangements for waste thermocol.

ANDWHEREAS, after examining the record of your case and after making necessary enquiry this office has concluded that you are not complying with the consent conditions and violated the provisions made under various environmental enactments as well as causing pollution problem in the nearby surrounding area knowingly and wilfully.

NOW THEREFORE, in exercise of the powers confirmed upon me by the Board, I Dr.P.M Joshi, Regional Officer of the Board at Nashik hereby directed you to stop your production activity forthwith till further directions/order of the Board in a safe manner and the competent authorities are hereby also directed to disconnect electricity and water supply of your industry immediately, which may be noted.

This is issued with the post- facto approval of the competent authority of the Board.


(Dr. P. M Joshi)
Regional Officer, Nashik.

Copy Submitted for information to:-

1. The Regional Officer (HQ), M.P.C. Board, Mumbai.
2. The Principal Scientific Officer, M.P.C. Board, Mumbai.
2. The Law Officer, M.P.C. Board, Mumbai.

Copy forwarded with compliments to:-

The Executive Engineer, MSEDCL, MIDC Ahmednagar, Tal. & Dist. Ahmednagar
- He is directed to disconnect the electricity supply of the said industry within 24hrs from date of receipt of these directions and communicate the action taken by you immediately.

Copy forwarded with compliments to:-

The Executive Engineer, MIDC Ahmednagar, Tal. & Dist. Ahmednagar –He is directed to disconnect the water supply of the said industry till further directions / order of the Board and communicate the action taken by you immediately.

Copy forwarded to:-

Sub-Regional Officer MPCB, Ahmednagar –

He is also directed to serve the copy of these directions to the industry and competent authorities for disconnection of electricity & Water supply. It is also directed to take follow up with concerned department towards implementation of these directions and submit compliance report within a week period