

# MAHARASHTRA POLLUTION CONTROL BOARD

## Regional Office, Navi-Mumbai

Ph. :- (022)- 2757 2740  
Fax Ph. :- (022)- 2757 1586  
Visit us at :- <http://mpcb.gov.in>  
e-mail : [ronavimumbai@mpcb.gov.in](mailto:ronavimumbai@mpcb.gov.in)



Raigad Bhavan, 7th floor,  
Sec-11, C.B.D. Belapur,  
Navi Mumbai- 400 614.

No: MPCB/RONM/ 2309250001

Date: -25/09/2023

To

M/s. Chemspec Chemicals,  
Plot No. 3-C, MIDC Taloja,  
Tal. Panvel, Dist. Raigad.

**Sub :** Direction under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Hazardous & Other Waste (Management and Trans-boundary Movement) Rules 2016

**Ref :** 1. Consent to Operate granted to your unit by MPC board  
2. Directions of Hon'ble Lokayukt dated 17/02/2023  
3. Final report on ODOUR IDENTIFICATION AND MITIGATION PLAN FOR TALOJA MIDC AREA submitted before Hon'ble Lokayukt dated 04/8/2023  
4. NGT order OA 93 / 2023 (WZ) dtd. 01/08/2023.  
5. Visit of Board Officials to the industry on 31.08.2023.

**WHEREAS,** you are operating your industry in Water & Air pollution prevention area declared under Water (P & CP) Act, 1974 Air (P & CP) Act, 1981 and Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016.

**AND WHEREAS,** Board has granted conditional Consent to Operate u/s. 26 of Water (P & CP) Act, 1974; u/s 21 of Air (P & CP) Act, 1981 and u/s 6 of Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016 with certain terms & conditions and it is mandatory on your part to comply all the conditions stipulated in the consent to operate.

**AND WHEREAS,** it is obligatory on your part to provide necessary water & air pollution control devices and operate them continuously and efficiently so as to meet the standards prescribed by the Board at all times. Also comply with the provisions of Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016.

**AND WHEREAS,** MPC Board is receiving frequent complaints from surrounding area regarding Air Pollution Problem due to operation of units in Taloja MIDC Area and similar type of complaint raised by Shri Rajiv Sinha and Sameer Patil before Hon'ble Lokayukta, Maharashtra.

**AND WHEREAS,** Hon'ble Lokayukta directed to form the Special Investigation Team & submit the report to the Lokayukta. Accordingly, Board has constituted Special Investigation Team and SIT prepared final report on **ODOUR IDENTIFICATION AND MITIGATION PLAN FOR TALOJA MIDC AREA** in which



identified sources of pollution and proposed sector wise mitigation measures. AND WHEREAS, the said report was placed before Hon'ble Lokayukta and the matter is sub judice.

**AND WHEREAS**, considering the measures proposed by Special Investigation Team and curb the pollution issue in surrounding area and the non-compliances reported by Board Officials during visit, in exercise of the powers conferred upon me by the Board u/s. 33A of the Water (Prevention & Control of Pollution) Act, 1974 and u/s. 31A of Air (P&CP) Act, 1981, you are hereby directed to:

1. You shall submit detailed compliance report within 15 days from the receipt of this direction in which following key points shall be covered with necessary photographic proofs
  - a. All the transfer of chemicals shall be carried out by connecting vents to reduce VOC emissions.
  - b. For loading and unloading system, separate VOC capture mechanism shall be installed and operated.
  - c. Vents shall be pass through physical adsorption media such as activated carbon, zeolite to prevent leakage of VOCs.
  - d. Pumps shall be provided with mechanical seal to prevent leakages of VOC.
  - e. Implementation of periodic LDAR (Leak detection and repair) shall be carried out to control the VOC . Reports shall be produced during visit of board official.
  - f. Regular monitoring of VOC shall be carried out in the work zone and ambient air.
  - g. Solvent bearing effluent collection tank shall be equipped with suction system followed by scrubber for VOC capture.
2. Industry shall operate effluent treatment plant scientifically. Industry shall made stripper in operation immediately.
3. Industry shall operate sewage treatment plant scientifically to achieve the consented norms.
4. Industry shall provide necessary air pollution control system at Raw Material & finished product storage area to control VOC's.

Your reply along with time bound action plan shall reach this office within period of 15 days from date of receipt of this notice. In case, you fail to comply with the above directions, the Board will have no option than to initiate appropriate legal action including issuance of final directions and filing of prosecution as per the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 respectively, which may please be noted.



**(Satish H Padwal)**

**Regional Officer, Navi Mumbai**

**Copy submitted to:**

1. The Hon'ble Member Secretary, M.P.C. Board, Sion, Mumbai.
2. The Joint Director (APC), M.P.C. Board, Sion, Mumbai.
3. The Joint Director (WPC), M.P.C. Board, Sion, Mumbai.

**Copy to:-**

Sub-Regional Officer, Taloja - He is directed to serve these directions to industry.