

MAHARASHTRA POLLUTION CONTROL BOARD

REGIONAL OFFICE - RAIGAD

Tel. No. 2757 6034
Fax No. 2756 2132
Email: rorraigad@mpcb.gov.in
Visit us at: mpcb.gov.in



Raigad Bhavan, 6th Floor,
Sec-11, C.B.D. Belapur, Navi
Mumbai 400 614.

"Your Service is our Duty"

MPCB/ROR/TB/CD/2021 - 2109200001

Date: 20/09/2021

To,
M/s. STARSHINE MFG. CO. PVT. LTD.,
S. No. 25/4/B, and 26/0, Taloja Road,
MIDC Navade Raigad, Tal. Panvel, Dist. Raigad.

Sub: - Directions of Closure u/s 33 (A) of Water (Prevention & Control Pollution) Act, 1974 and u/s 31A of the Air (Prevention & Control Pollution) Act, 1981.

Ref: -

1. Your application for Consent to Establish and Operate vide UAN No:- 0000107016 dtd. 27.01.2021.
2. Show Cause Notice for refusal of Consent issued by Board vide dtd. 01.06.2021.
3. Final Refusal of Consent issued by Board vide BO/JD(APC)/TB-5/SCN/Refusal-1091 dtd. 20.07.2021.
4. Proposal received from SRO Raigad-I on 08.09.2021 and which was duly approved by competent authority of the Board on 14.09.2021.

.....

WHEREAS, your factory is located in the "Pollution Prevention area" under the Water (Prevention & Control of Pollution) Act, 1974 under the Air (Prevention & Control of Pollution) Act, 1981 and under the Hazardous and Other Wastes (M & TM) Rules, 2016 and amendment thereto.

AND WHEREAS, it was obligatory on your part to obtain Consent to Operate for your activity. **AND WHEREAS**, it was also obligatory on your part to provide adequate and suitable pollution control equipment and take adequate measure to control air & water pollution from all sources, it was also obligatory on your part to operate & maintain pollution control devices & avoid nuisance to surrounding area.

AND WHEREAS, vide ref no. (2) above, Board has issued Show Cause Notice to your activity for refusal of consent based on various non-compliance and thereafter issued Final Refusal of Consent to operate vide ref no. (3) above.

AND WHEREAS, Board official visited to above said unit dtd. 24.08.2021 and submitted proposal vide ref. no. 04 wherein reported following non compliances.

1. You have operating manufacturing activity without consent of the Board.
2. You have not provided Effluent Treatment plat for the treatment of the industrial effluent generated from your activity.
3. You have not installed Air Pollution Control Systems to the Chrome plating section.

:2:

4. You have not obtained the permission form Central Ground Water Authority (CGWA) for extraction of Borewell water.
5. You have not obtained the membership of CHWTSDF.

AND WHEREAS, M.P.C. Board has issued show cause notice for refusal of consent on 01.06.2021 and final refusal of consent vide 20.07.2021, but you have failed to comply with the same.

AND WHEREAS, after going through the record of your case, reports, information of the Board officials and making necessary enquiries, I came to the conclusion that; you have failed to comply with consent conditions / various directions issued by the Board and provision of various Environmental Acts. Causing grave injury to the Environment in a least bothered way.

NOW, THEREFORE, in exercise of powers conferred upon me by the Board u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 and u/s 31 A of the Air (Prevention & Control of Pollution) Act, 1981, **I, the undersigned hereby direct you to close down your manufacturing activities safely within 72 hours.**

In case, you fail to comply with the above directions, the Board will have no option then to initiate appropriate legal action including filling of prosecution as per the provisions of various environmental enactments, which may please be noted.

This is issued with approval of competent authority of the Board.

For and on behalf of
Maharashtra Pollution Control Board


(V.V. Killedar)

Regional Officer, Raigad

Copy submitted for favor of information to:-

1. Member Secretary, MPC Board, Mumbai
2. Regional Officer (HQ), MPC Board, Mumbai
3. Law Officer, MPC Board, Mumbai.

Copy forwarded with compliments for necessary action to:

1. **Executive Engineer, MSEDCL, Panvel (Rural), Tal:- Panvel, Dist.-Raigad.**
-- He is directed to disconnect the electric supply of said industry within 72 hours, after receipt of this directions.
2. **Executive Engineer, Raigad.**
-- He is directed to disconnect Water supply of the said industry within 72 hours, after receipt of this directions.

Copy for information necessarily follow up action to-

1. Sub Regional Officer, Raigad-I – He is directed to serve this direction to the industry & submit the compliance report of direction.


(V.V. Killedar)

Regional Officer, Raigad