

MAHARASHTRA POLLUTION CONTROL BOARD
Regional Office, Nagpur

Website : mpcb.gov.in
e-mail : ronagpur@mpcb.gov.in
Fax : 2560851
Phone : 2565308, 2560139



Regional Office,
5th Floor, Udyog
Bhawan, Civil
Lines, Nagpur.-
440 001.

“Your service is our duty”

No. MPCB/PD/ 2407090001

Date:- 09/07/2024

To,
M/s. Sua Explosives and Accessories Pvt. Ltd.,
Sr. No. 590/3 and 612/3, Vill- Kelzar,
Tq. Seloo Dist Wardha.

Sub : Proposed Directions under Section 33(A) of the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981.

Ref : 1. Consent NO. Format1.0/ RO/UAN No.0000158323/CR/2304000080
dtd 03/04/2023 valid upto 31/01/2029.
2. The Board Officials visit dtd. 26/06/2024.
3. Proposal Submitted by Sub-Regional Office, Nagpur-II on 01/07/2024.

WHEREAS, the Maharashtra Pollution Control Board has granted Consent to Operate u/s 26 of the Water (Prevention and Control of Pollution) Act, 1974 and u/s 21 of the Air (Prevention and Control of Pollution) Act, 1981 & Authorization under Rule 6 of the Hazardous and Other Wastes (Management and Trans-boundary Movement) Rules, 2016.

AND WHEREAS, it is obligatory on your part to provide adequate pollution control devices and comply with the consent conditions to achieve the standards prescribed by the Board in consent.

AND WHEREAS, The M.P.C. Board official has visited your industry on 02/07/2024 for checking of compliance of consent conditions. Accordingly, Sub Regional Officer Nagpur-II has submitted proposal through legal module with mentioning non compliances i.e.

1. You have fail to operate and maintain ETP round O'clock, resulting effluent having pH 10 found stagnant in the premises of ETP
2. You have fail to operate coil evaporations system, provided as maintaining Zero Liquid Discharge (ZLD).
3. You have fail to sufficient capacity of wet scrubber to Furnace Oil fire baby boiler resulting blackish carbon particles found settled on ETP and boiler area.
4. You have fail to provide proper arrangement for storage of Furnace Oil resulting oil found spared around the storage area as well as leakages were found at furnace oil carrying pipe line.

(2)


AND WHEREAS, it seems that, you are knowingly and willingly causing the grave injury to the Environment by creating pollution in the nearby area.

NOW THEREFORE, considering the above non-compliance, you are hereby directed to show cause as to:

- 1) Why your industrial activities shall not be closed down forthwith ?
- 2) Why the competent Authorities shall not be directed to disconnect water / electricity supply to your unit ?

You are hereby given an opportunity to respond within 07 days from issuance of these directions and **directed to remain present in this office for a personal hearing on 24/07/2024 at 3:00 p.m. along with all necessary documents and compliance report.** failing which, MPCB will initiate legal action against your unit without giving any further notice in accordance with the provisions of the Water (prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981.

**For and behalf of the
Maharashtra Pollution Control Board**


**(Hema Deshpande)
Regional Officer, Nagpur**

Copy submitted to:

1. The Hon'ble Member Secretary, M.P.C.B. Mumbai.
2. The Joint Director (WPC), M.P.C. Board, Mumbai.
3. The Law Officer (HQ) M.P.C. Board, Mumbai.

Copy to: - 1. Sub-Regional Officer, M.P.C. Board, Nagpur-II.

- You are directed to serve the copy of Proposed Direction to the industry and also submit the Compliance against Directions.

Copy to Master file, Nagpur.