



MAHARASHTRA POLLUTION CONTROL BOARD		
Phone :	(022)- 25505928	
Fax :	(022)- 25505926	
Email :	romumbai@mpcb.gov.in	
Visit At :	http://mpcb.gov.in	
		Kalpataru Point, 1 <sup>st</sup> floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai - 400 022

"Your Service is our Duty"

Date: 10/11/2023

No: MPCB/ROM/PD/ - 2311 00005  
 To,  
 M/s. VITRAG INFRA PROJECTS LLP  
 F. P. No. 7B, Shashwat Residency, M.G. Road,  
 Borivali (E ), Mumbai 400077

**Sub:** Proposed directions u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 31A of the Air (Prevention & Control of Pollution) Act, 1981

**Ref:** 1. Consent to operate granted by Board valid up to 31/03/2026  
 2. Board official visited on 30/10/2023  
 3. Office Note approved on 10/09/2023

...  
**WHEREAS**, the Maharashtra Pollution Control Board has granted Consent to Operate u/s 26 of the Water (Prevention and Control of Pollution) Act, 1974 and u/s 21 of the Air (Prevention and Control of Pollution) Act, 1981 & Authorization under Rule 6 of the Hazardous and Other Wastes (Management and Trans-boundary Movement) Rules, 2016, on 22/02/2023, which is valid upto 31/03/2026, subject to certain terms and conditions.

**AND WHEREAS**, it is obligatory on your part to provide adequate pollution control devices and comply with the consent conditions so as to achieve the standards prescribed by the Board in its consent.

**AND WHEREAS**, Board officials visited your site on 30/10/2023 at M/s. VITRAG INFRA PROJECTS LLP F. P. No. 7B, Shashwat Residency, M.G. Road, Borivali (E ), Mumbai 400077 & reported as under;


1. You have not provided dust collection system to mixing section thereby fugitive dust emissions may escape in to environment
2. The conveyor belts for sand / stone aggregate are partly covered thereby emitting dust emissions in environment.
3. You have provided roof top water sprinkling for storage area of sand and aggregate but seems inadequate to cover all storage area.
4. You have not provided effluent treatment & recycle facility for treatment of waste water generating from RMC operations. Waste water lodging observed spread near batching plant.
5. You have not provided Barricading for storage area of sand and aggregate.
6. You couldn't produce documents pertaining to Solid waste generation and disposal thereof.

**NOW THEREFORE**, in view of the aforesaid non-compliances, following direction are issued against your unit as to –

1. Why your consent shall not be revoked?
2. Why your industrial activities shall not be closed down ?
3. Why the competent Authorities shall not be directed to disconnect water / electricity supply to your unit ?

THEREFORE, you are hereby directed to remain present for Hearing before undersigned on **23/11/2023 at 5.00 PM** along with your substantive reply / objections to these Proposed Directions and documents you want to rely upon, failing in which, the Board will have no option than to confirm above directions against you, which may please be noted

For and on behalf  
Maharashtra Pollution Control Board

  
**(S. R. Bhosale)**  
Regional Officer, Mumbai

**Copy submitted to:-**

1. Regional Officer (BMW), MPC Board, Sion, Mumbai – for information.

**Copy to:**

- 1) Sub Regional Officer, MPC Board, Mumbai -IV- He is directed to serve copy of direction to industry, take necessary follow-up towards compliance of the direction and submit Action taken report.
- 2) 2) Master File