

**MAHARASHTRA POLLUTION CONTROL BOARD**  
**Regional Office, Kalyan**

Tel: (0251) 2310167/2310212  
Fax: (0251) 2310192  
Website: <http://mpcb.mah.nic.in>  
E-mail: [rokalyan@mpcb.gov.in](mailto:rokalyan@mpcb.gov.in)



"Your Service is our Duty"

Siddhivinayak Sankul,  
3rd Floor, Near Oak Baug,  
Station Road,  
Kalyan (West) – 421 301.

No. MPCB/ROK/SRO K-II/CD/TB- 20

Date: ~~10/01/2022~~  
14/01/2022

To,  
M/s. J. Y. Enterprises,  
Gala No.-1, Chirad - Pali fata,  
Taloja MIDC road, near Canara Bank, Pali Gaon,  
Tal. Ambernath, Dist. Thane

**Sub :-** Closure Directions u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 and/or u/s 31A of the Air (Prevention & Control of Pollution) Act, 1981.

**Ref :-** 1. Enforcement Policy published by the Board vide dtd. 29/02/2016.  
2. Visit of Board officials to your unit on 09/12/2021.  
3. Proposal received from Sub-Regional Office, Kalyan-II having No. 141221001

.....

**WHEREAS,** you are operating the industry in the pollution prevention area declared under the Provisions of the Water (P&CP) Act, 1974 and the Air (P&CP) Act, 1981 and the Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016.

**AND WHEREAS,** it is obligatory on your part to obtain Conditional Combined Consent and Authorization to operate your industry to discharge sewage and trade effluent in water pollution prevention area subject to certain terms and conditions more precisely under the provisions of 26 of the Water (P&CP) Act, 1974 and section 21 of the Air (P&CP) Act, 1981 and the Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016. **AND WHEREAS,** it was also obligatory on your part to provide adequate and efficient pollution control devices and take adequate measures to control air & water pollution from all sources so as to achieve the standards prescribed in the Environment (Protection) Act 1986.

**AND WHEREAS,** Board has published Enforcement Policy vide under reference no. 1 to integrate various aspects including inspections, monitoring, standards, compliances, directions, remedial measures as per the provisions of the Environment (Protection) Act, 1986 and other Environmental Laws based on culpability environmental damages, severity of pollution, repeated violations etc.

**AND WHEREAS,** Board officials visited your unit on 09/12/2021 for checking compliance of Consent conditions and compliant investigation.

**AND WHEREAS,** this office has received proposal from Sub-Regional Officer to initiate action due to non-compliance observed during the visit wherein it is reported that

- 1) You are engaged in manufacturing of Potato Chips without obtaining consent from the Board.
- 2) You have not provided ETP for treatment of effluent generated from washing activity and disposing untreated effluent directly into local Nala.



: 2 :

- 3) You are using wood as fuel to furnace and not provided ladder, platform and sampling port

**AND WHEREAS**, you have failed to obtain Consent to Operate from Board and thereby willfully, knowingly violated the provisions of Environmental Rules.

**AND WHEREAS**, after examination of the record of your case, reports of the officers of the Board and after making necessary inquiry, I have come to the conclusion that you are knowingly and willfully violating the provisions of the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Hazardous Waste Rules 2016.

**NOW THEREFORE**, in exercise of powers conferred upon me by the Board u/s. 33A of the Water (P&CP) Act, 1974, u/s 31A of the Air (P&CP) Act, 1981 Hazardous Waste Rules 2016. I, the Regional Officer, Kalyan hereby direct you to stop your manufacturing activity taking all precautionary measures for safe closure of the unit within 48 hours from receipt of this direction. It may also be noted that, the competent authorities are being directed to disconnect the electricity and water supply to your unit.

  
**Regional Officer,  
MPC Board, Kalyan.**

**Copy Submitted to:**

- 1) Member Secretary, MPC Board, Sion, Mumbai.
- 2) Assistant Secretary (Tech.), MPCB, Sion, Mumbai.

**Copy to:** - Law officer, MPCB Sion, Mumbai: - for information.

**Copy f. w. cs to:**

- 1) The Executive Engineer/Addl. Engineer, Maharashtra State Electricity Distribution Co.Ltd., Ambernath, Dist. Thane - He is directed to disconnect electricity supply to the aforesaid unit after completion of 48 hours for safe closure of the unit & inform this office accordingly.
- 2) The Sarpanch/Gram Sevak, Water Supply, Vill-Pali/Posari, Tal. Ambernath, Dist. Thane- He is directed to disconnect water supply to the aforesaid unit after completion of 48 hours for safe closure of the unit & inform this office accordingly

**Copy to:**

Sub Regional Officer, MPC Board, Kalyan – II – He is directed to ensure that this Direction to be served to the industry and competent authorities & submit the compliance verification report after 48 hours.

  
**Regional Officer,  
MPC Board, Kalyan.**