

MAHARASHTRA POLLUTION CONTROL BOARD		
Phone :	(022)- 25505928	
Fax :	(022)- 25505926	
Email :	<a href="mailto:romumbai@mpcb.gov.in">romumbai@mpcb.gov.in</a>	
Visit At :	<a href="http://mpcb.gov.in">http://mpcb.gov.in</a>	
		Kalpataru Point, 1 <sup>st</sup> floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai - 400 022

"Your Service is our Duty"

No: MPCB/CD - 2401230006  
 To,  
 M/s. Datta Bakery  
 Sion trombay Road, Chembur Naka  
 Mumbai, 400071

Date: 23/01/2024

**Sub:** - Closure Directions u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 and/or u/s 31A of the Air (Prevention & Control of Pollution) Act, 1981.

**Ref:** 1. Board Official visited on 23/11/2023 to your industry.  
 2. Office Note approved on 21/01/2024 MPCB-LEGAL\_ACTIONS-100124035

...

**WHEREAS**, it is obligatory on your part to obtain Consent to Establish and Consent to Operate from the Maharashtra Pollution Control Board under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981 & Authorization under the provisions of the Hazardous and Other Wastes (Management and Trans-boundary Movement) Rules, 2016. It is also obligatory on your part to provide adequate pollution control devices.

**AND WHEREAS**, compliant received against your industry for verification of the same, the officials of the Board at SRO Mumbai-III have visited the site at M/s. Datta Bakery, Sion trombay Road, Chembur Naka Mumbai, 400071 on 23/11/2023 and observed as follows:

1. You are engaged in Bakery unit without obtaining Consent to establish/operate from MPC Board.
2. You have not provided any air pollution control arrangements to wood fired bhatti to arrest the smoke.

**AND WHEREAS**, after examining the record of your case, the reports of the officers of the Board, it has been observed that you are operating your unit without obtaining consent from the Board under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981 and adequate pollution control devices, thereby pollution in the surrounding area.

**NOW THEREFORE**, in view of the above non-compliances, you are hereby directed to stop your manufacturing activities forthwith, failing which, the Board will have no option than to initiate appropriate legal action under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981.

This direction is issued with approval of competent authority of the Board.

For and on behalf of  
Maharashtra Pollution Control Board



**(S. R. Bhosale)**  
Regional Officer, Mumbai

**Copy submitted for information :-**

1. The Member Secretary, MPCB, Sion, Mumbai – for favour of information.
2. Joint Director (APC) MPCB, Sion, Mumbai – for information.
3. Regional Officer (BMW) MPCB, Sion, Mumbai – for information
4. Law Officer MPCB, Mumbai.

**Copy to:**

1. Executive Engineer, MSEDCL /Adani Electricity/Tata Power Company/BEST -He is directed to disconnect electric supply of M/s. Datta Bakery, Sion Trombay Road, Chembur Naka Mumbai, 400071.
2. Asst. Commissioner, 'D Ward, MCGM, Mumbai-He is directed to disconnect the water supply of the unit of M/s. Datta Bakery, Sion Trombay Road, Chembur Naka Mumbai, 400071.
3. Sub-Regional Officer (Mumbai-III), M.P.C. Board. - He is directed to ensure that above direction is served to the industry & all concerned and take necessary follow-up towards compliance of the direction & submit Action taken report.