

MAHARASHTRA POLLUTION CONTROL BOARD

| | | |
|--|---|--|
| Tel : 25802272 |  | Regional Office, Thane |
| Fax : 25805398 | | 5 th Floor, Office Complex Bldg., |
| Website: http://mpcb.gov.in | | Near Mulund Check Naka, |
| E-mail Id: rothane@mpcb.gov.in | | Wagle Estate, Thane-400 604. |
| "Your Service is Our Duty" | | |

No. MPCB/ROT/PD/ 2109230003

Date : 23 /09/2021

To,
M/s. Kundan Industries Ltd.,
Address: Harisiddhi Industrial Estate,
Vill-Goraipada, TalVasai, Dist-Thane

Sub: Proposed Directions u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 and/or u/s 31A of the Air (Prevention & Control of Pollution) Act, 1981 and read with Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2016 and Authorization under Rule 10 (2) of the Bio Medial Wastes Management Rules, 2016.

**Ref: - 1) Consent granted by Board
2) Complaint received from Mr. Kakasaheb Mote, Vice Taluka Pramukh.
3) Board officials visit to your unit dt. 26/02/2021.
4) Action proposal submitted by Sub- Regional Officer, Thane-II vide Legal Unique No. MPCB-LEGAL_ACTIONS- 120321019, dt. 06/04/2021 & 21/09/2021.**

WHEREAS, you are operating your unit in Water & Air pollution prevention area declared under Water (P & CP) Act, 1974 Air (P & CP) Act, 1981 and Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016 & Authorization under Rule 10 (2) of the Bio Medial Wastes Management Rules, 2016. AND WHEREAS, Board has granted consent to your industry subject to certain terms & conditions therein for necessary compliances.

AND WHEREAS, it is obligatory on your part to comply those conditions and provide necessary water & air pollution control devices and operate them continuously and efficiently so as to meet the standards prescribed by the Board at all times. Also comply with the Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016 and Authorization under Rule 10 (2) of the Bio Medial Wastes Management Rules, 2016.


AND WHEREAS, the officials of Sub-Regional Office, M.P.C.B. Thane-II visited to your unit dtd. 26/02/2021 and reported that, 1) during visit, ETP was not in operation and as unit is engaged in batch wise process, 2) domestic effluent i.e. bath water was directly discharged outside the premises, 3) Fumes are observed in & around the premises as adequate Air pollution Control system not provided, it requires Secondary fume extraction system in place. 4) Oil spillage are observed in the premises.

AND WHEREAS, the above fact shows gross violation of consent conditions and clearly indicates your negligent attitude towards aspect of pollution control and Environment protection.

NOW THEREFORE, in exercise of the powers conferred upon me by the Board under section 33A of the Water (P & CP) Act, 1974 and under section 31 of the Air (P & CP) Act, 1981, I, hereby direct you as follows:

- a. Why BG of Rs. 1.0 lac submitted by you shall not be forfeited?
- b. Why your industry shall not be directed to close down its manufacturing activity forthwith?
- c. Why the competent authority shall not be directed to disconnect water / electricity supply to your units?
- d. Why legal action shall not be initiated against you for violation of the provisions of the above mentioned Acts?

You shall remain present for personal hearing **dtd. 1 /10 /2021 at 2:45 hrs** above address along with reply to this direction and documents you want to rely upon, failing in which legal action will be initiated which may result in closure of your unit, which please note.


(R. A. Rajput)
Regional Officer, Thane

Copy submitted to :
Joint Director (WPC), MPC Board, Sion, Mumbai-22.

Copy to:-
Sub-Regional Officer, M.P.C. Board, Thane-II - He is directed to serve these directions to industry & attend the hearing with relevant details & inform the concerns immediately.

Master file.