

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE, KOLHAPUR.

Tel. No. (0231) 2652952,
2660448
Fax No. (0231) 2652952
E-mail:
rokolhapur@mpcb.gov.in



Udyog Bhavan,
Near Collector Office,
Kolhapur - 416 003.
Website: <http://mpcb.mah.nic.in>

"Your Service is Our Duty"

No. MPCB/RO/KOP/PD/ 2301110007

Date: 11/01/2023

To,
M/s. Three M Paper Manufacturing Co Pvt Ltd
Plot No. F-1, M.I.D.C Kherdi,
Tal. Chiplun, Dist. Ratnagiri-415604

Sub: Proposed Directions under section 33 A of Water (Prevention & Control of Pollution) Act, 1974, 31 A of Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (M, H & T) Rules, 2008 as amended.

- Ref: 1. Complaint from Shri Swapnil Khair, Adhyaksha , Dharmaveer Sena Sansthapak
2. Visit of Board Officials on 22/07/2022
3. Show Cause Notice issued on 04/08/2022.
4. Proposal submitted by SRO Chiplun.

.....
WHEREAS, you are operating your unit in 'Pollution Prevention Area' declared under Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (Management & TM) Rules, 2008 as amended 2016.

AND WHEREAS, it is obligatory on your part to provide adequate water and air pollution control devices and adequate health and safety & accidental precautionary measures and to operate it round o'clock so as to prevent any sort of pollution in the surrounding area and to achieve the standards laid down under the provisions of Environment (Protection) Act, 1986.

AND WHEREAS, Board Officials visited your unit on 22/07/2022 for investigation of the complaint as per ref. no. (1) and observed following non compliances.

1. You have failed to operate & maintain ETP. The Biomass/ culture is not properly developed in aeration tank.
2. You have failed to provided full fledge ETP. Existing ETP needs to be upgraded.
3. You have failed provided arrangement to recycle/reused the treated effluent into the process.
4. You have failed provided arrangement for scientific disposal of non-hazardous waste. Presently you are disposing plastic waste to cement industry, thereby causing violation of Consent Conditions.
5. You have not provided Environment, Health & Safety precautions with required staff to prevent the incidence & remedial action in your factory, resulting in to serious harm to environment. Also you have not carried out safety audit in time.

AND WHEREAS, after examining the record of your case, reports of officers of the Board & making necessary enquiries, I am satisfied that you are causing Environmental Pollution problems in the surrounding area and knowingly & wilfully causing grave injury to the environment thereby violating various Environment enactments.

J.S.-

NOW THEREFORE, in exercise of the powers conferred on the undersigned by the Board under section 33A of the by the Water (Prevention & Control of Pollution) Act, 1974 and section 31A of Air (Prevention & Control of Pollution) Act, 1981 it is proposed to issue the following directions (for avoidance of doubt, the directions include closure, prohibition or regulation of your activities).

- I) Why your industry shall not be closed down forthwith?
- II) Why competent authorities shall not be directed to disconnect your water/electricity supply till you comply with the provisions of the said Acts?
- III) You are also Directed not to start concern activity without prior permission, in time.

You are directed to file your reply to these directions if any, within seven days from the receipt of this notice, failing which Board shall consider issuance of appropriate final directions as may be deemed fit in your case, which may please be noted.

FOR AND ON BEHALF OF THE BOARD


11.01.23

(J. S. Salunkhe)
Regional Officer,
M.P.C. Board, Kolhapur

Copy submitted for information.

- 1) Member Secretary, M.P.C. B, Mumbai.
- 2) Joint Director (Water Pollution Control) Mumbai.

Copy to:

Sub-Regional Officer, M. P. C. Board, Chiplun.

- He is directed to serve the directions to the above industry and submit the compliance Report along with clear cut remarks accordingly within stipulated period.

