

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 0253-2365150  
Fax : 0253-2365140  
Website: <http://mpcb.gov.in>.  
E-Mail: [ronashik@mpcb.gov.in](mailto:ronashik@mpcb.gov.in)



Udyog Bhavan, First Floor Trimbak  
Road, Near ITI, Satpur, Nashik-  
422007.

**BY R.P.A.D./FAX/HAND DELIVERY**

L. No: MPCB/RONK/Direction/ *2206150001* /2022

Date:- *15/6/* 2022.

To,  
M/s Shramik Milk & Food Processing Industry.,  
Sr. No.- 350/4 & 350/5, A/p. Dhandarphal Bk,  
Tal. Sangamner, Dist. Ahmednagar.

**Sub:- Proposed Directions u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 and u/s 31A of the Air (Prevention & Control of Pollution) Act, 1981.**

- Ref:-1. Consent granted by the Board valid upto 30.06.2025.  
2. Visit of the Board official of Ahmednagar on 06.04.2022.  
4. Proposal submitted by SRO office through legal module vide no. MPCB-LEGAL\_ACTIONS-070422008.

**WHEREAS**, it is mandatory and obligatory on your part to abide the conditions stipulated in Consent to Operate granted by the Board under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 21 of Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management & Tran boundary Movement) Rules, 2016 for running the industry activity at aforesaid location.

**WHEREAS**, Board has issued consent valid upto 30.06.2025. vide above ref.no 1.

**WHEREAS**, visit was carried out by the Board official on 06.04.2022 for checking the compliance of consent condition, during visit following non- compliance observed.

1. Industry has not operating Effluent Treatment Plant.
2. Industry is using untreated effluent for irrigation on adjacent own land.
3. Industry is discharging white colour untreated effluent.

**ANDWHEREAS**, after examining the record of your case and after making necessary enquiry this office has concluded that you have violated the consent conditions and causing pollution problem in the nearby surrounding area.


**ANDWHEREAS**, Bank Guarantee of Rs. 1.0 Lakh is hereby forfeited for not operating the Effluent Treatment Plant and discharging untreated effluent on land.



NOW THEREFORE, it is directed that why the production activity of the industry shall not be stopped down forthwith? And why competent authority shall not be directed to disconnect electricity and water supply of the industry immediately?

The reply of industry if any to these Directions shall be submitted within 7 days from date of issuance of this notice, failing which, the Board will have no any other option than to initiate further stringent legal action against the unit, which may be noted.

This is issued with the approval of the competent authority of the Board.

A handwritten signature in blue ink, appearing to read 'Dr. P. M. Joshi', with a date '19/6/20' written below it.

(Dr. P. M Joshi)  
Regional Officer, Nashik.

**Copy Submitted for information to:-**

1. The Member Secretary, MPC Board, Mumbai.
2. The Principal Scientific Officer, M.P.C. Board, Mumbai.
3. The Joint Director WPC, M.P.C. Board, Mumbai.

**Copy forwarded to:-**

**Sub-Regional Officer MPCB, Ahmednagar** – He is directed to serve the copy of these directions to the industry, & submit the comprehensive report of the industry along with analysis report.