

MAHARASHTRA POLLUTION CONTROL BOARD

Regional Office Amravati

Tel. No. (0721)-2563593/94
fax : (0721) -2563597
e-mail : roramravati@mpcb.gov.in



Sahkar Surbhi Bapat Wadi, Near
Vivekanand Colony, Amravati.
Pin-444601.

No : MPCB/ ID/ 2406140003

Date :- 14/06/2024

To,
M/s. Alrub Chemical Pvt. Ltd.
Plot No. C-5, MIDC Malkapur,
Tq. Malkapur, Dist. Buldhana.

Sub:- Interim Direction under section 33A of the Water (P and CP) Act 1974,
And under section 31A of the Air (P and CP) Act 1981 and Hazardous and
Other Wastes (Management and Trans boundary Movement) Rules,2016

- Ref.:-** 1) Consent to operate granted by M.P.C. Board vide no. Format1.0/RO/UAN
No.0000182983/CO/2310002246, dtd. 31/10/2023.
2) Board Officials visit dtd. 06/09/2023.
3) Warning Notice issued by Sub-Regional Office, Akola vide no.
MPCB/SRO-AKOLA/WN 367, dtd. 07/09/2023
4) Board Officials visit dtd. 10/04/2024.
5) Proposal submitted by Sub-Regional Officer, Akola through legal
module for initiation of action.
6) Proposed Directions issued vide letter no. MPCB/PD/ 2404220002 dtd.
22/04/2024.
7) Personal hearing extended on 12/06/2024.

In accordance with above cited reference no. 1, M.P.C. Board has granted consent to
operate to your industry with certain terms and conditions and it is obligatory on
proprietors/ owners' part to comply the same.

Earlier Board officials visited to your industry on 06/09/2023 & 10/04/2024 and
reported non-compliances to this office through legal action. Accordingly, Proposed
Directions were issued to you vide letter cited at ref. no. 6.

Accordingly, personal hearing extended to you on 12/06/2024 at 2.00 P.M. before
undersigned.

Issues related with above incidence were discussed in detail and after due
deliberations, following interim directions are issued under Section 33A of the Water (P
and CP) Act, 1974 and 31A of the Air (P and CP) Act, 1981 for :

1. Provide the suitable sensor for gas, temperature & pressure inside the reactor to
regulate the safe operation of the reactor within one month.
2. Industry shall comply SOP/guideline for pyrolysis process strictly.
3. Industry shall operate & maintain the air pollution control system & safety
measures shall be followed strictly.

4. Conduct the safety audit. Also, prepare & submit the onsite/off site disaster management plan to MPC Board within one month.
5. The industry shall obtain registration from CPCB in r/o plastic waste/ irrigation pipe waste recycling activity
6. Industry shall submit B.G. of Rs. 25,000/- towards compliance of these directions. The said B.G. shall be submitted in favour of Regional Officer, MPC Board, Amravati. The B.G. shall be valid upto one year period.

You are hereby directed to comply the above Interim Direction. You shall submit your reply/objections within a period of **15 days** from the date of receipt of these directions.

In case, you fail to comply with the above Directions, the Board will have no option than to issue final directions as deemed fit in your case such as disconnection of electricity and water supply of your industry, along with suitable legal action without giving you any further opportunity which may please be noted.

FOR AND ON BEHALF OF THE
MAHARASHTRA POLLUTION CONTROL BOARD


(S.D. Patil)

016 Regional Officer, Amravati

Copy submitted to :-

1. The Hon'ble Member Secretary, MPC Board, Mumbai
2. The Joint Director (APC), MPC Board, Mumbai.
3. The Law Officer (HQ), MPC Board Mumbai.

Copy to :-

Sub-Regional Officer Akola:

It is directed to serve the copy of these Directions to industry and ensure the submission of compliance report from industry within time bound period.