

MAHARASHTRA POLLUTION CONTROL BOARD

Tel.No. (0240) 29930004

Visit us at www.mpcb.gov.in
E-mail: roaurangabad@mpcb.gov.in



Regional Office, Paryavaran Bhavan, A-4/1, MIDC Area, Chikalthana, Behind Daynik Lokpatra, Near Seth Nandlal Dhoot Hospital, Jalna Road, Chhatrapati Shambhajnagar -431 210.

No.MPCB/PD/24060600/6

Date: 06/06/2024.

**To,
M/S. Hotel Saurabh Lodging.
Malegaon Road, Nanded.,
Tal & Dist -Nanded.**

Sub: - Notice for obtaining consent under the provision of water (prevention and control of pollution), Act, 1974 & Air (prevention and control of pollution) Act, 1981..

- Ref:-**
1. NGT Order No.4 dtd.08/05/20213 in the application no.37/2013 filed by Wassan singh vs state of Punjab.
 2. Hon'ble NGT Order dated 19.09.2019 in the matter of OA no.400/2017 titled as westend Green Farms Society vs Union if India & Ors.
 3. Mechanism/Guidelines for control of pollution and enforcement of environment Norms at individual Establishment and the area/ cluster of restaurants / hotels / Motels / Banquets etc. Prepared by central pollution control board.
 4. Warning Notice issued by SRO Nanded vide.No MPCB/WN/2304270003,dated.08.05.2023.
 5. Show Cause issued vide No MPCB/SCN/2307060001,dated 06.07.2023.
 6. Proposal received through Legal Action Module from SRO Nanded.

WHEREAS, it is obligatory on your part to obtain Consent to Establish and Consent to Operate from the Maharashtra Pollution Control Board under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981 & Authorization under the provisions of the Hazardous and Other Wastes (Management and Trans-boundary Movement) Rules, 2016. It is also obligatory on your part to provide adequate pollution control devices.

AND WHEREAS, Board Officials visited your unit to regular inspection of your unit and observed following non compliances:-


1. You are operating without obtaining consent to establish and operate from the MPC Board.
2. You are using water from Bore well without obtaining NOC from Central Ground Water Authority (CGWA).
3. You have not provided not provided Sewage Treatment Plant & Effluent Treatment Plant for the treatment of Domestic & Industrial effluent.
4. You have not provided air pollution control arrangements to cooking and kitchen area.
5. You have not provided organic waste converter for treatment of solid waste.
6. You are using banned single use plastic items & thereby violating Plastic Waste Management Rules,2016 & amendments thereof.
7. You have failed to provide adequate space for parking of Vehicle as well as do not possess Own parking facility.
8. You have failed to obtain permission of competent authority under the Noise Pollution (Regulation & Control) Rule,2000.

AND WHEREAS, the Maharashtra Pollution Control Board has issued Show cause for direction vide letter dated 05.07.2023 you are operating your hotel unit without obtaining consent from the Board, violating Water (prevention and control of pollution) Act, 1974, & Air(prevention and control of pollution) Act 1981 thereby violating CPCB Guidelines for Control of Pollution Of Environment Norms at Individual Establishment & the Area/Cluster of Restaurants & Hotels/Motels/Banquets etc.

NOW THEREFORE. Why you shall not be Directed to close down your Hotel activity for operating without valid consent of Board, without providing Sewage Treatment Plant (STP) ,without providing Organic Waste Convertor (OWC) & not provided Fume Extraction System (FES) alongwith oil catcher thereby emitting air pollutants in the surrounding residential/commercial area.

You are here by directed to submit your reply/objections to the Proposed Directions alongwith what steps you have taken to comply with above omissions within 10 days time, failing which this Office will have no alternative than to propose your case for approval of issuance of final Directions of Closure and disconnection of Electricity and Water supply which may please be noted,

In case you fail to submit any reply within 10 days time further necessary action will be initiated as deem fit necessary in your case.


(Manish Hölkar)
Regional Officer-
Chhatrapati Sambhaji Nagar

Copy submitted for information to:
The Member Secretary, MPCB, Mumbai

Copy f.w.cs.to:-

- 1.The Principle Scientific Officer. MPCB HQ ,sion, Mumbai
2. Law Officer (P & L Division), MPCB, Mumbai

Copy to: The Sub Regional Officer Nanded, MPCB- - He is directed to take follow up and ensure the compliance of the aforesaid directions. He is directed to ensure that these Directions to be served to the industry and competent authorities & submit the compliance verification report. 1