

# MAHARASHTRA POLLUTION CONTROL BOARD

## Regional Office, Nagpur

Website : [mpcb.mah.nic.in](http://mpcb.mah.nic.in)  
E-Mail : [ronagpur@mpcb.gov.in](mailto:ronagpur@mpcb.gov.in)  
Fax : 2560851  
Phone : 2565308, 2560139



Regional Office,  
5<sup>th</sup> Floor, Udyog Bhawan,  
Civil Lines,  
Nagpur.-440 001.

"Your Service is Our Duty"

No. MPCB/ID/2303240002

Date: 24/03/2023

**To,**  
**M/s. N.P. Infra Projects Pvt. Ltd.,**  
**Gut No 87/1,87/2, Vill- Met Panjra,**  
**Tq. Katol Dist Nagpur.**

Sub: Interim Direction under Section 33A of the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981.

Ref: 1. This office issued Proposed Direction vide no. MPCB/PD/2303080002 dtd 08/03/2023.

2. This office personal hearing vide letter no. MPC/NRO/340/2023 dtd 20/03/2023.

-----

The Board has issued Proposed Direction vide letter cited at ref. (1) to your industry under Section 33A of the Water (P& CP) Act 1974 and under Section 31A of the Air (P&CP) Act, 1981. As a principle of natural justice, a personal hearing was extended to you on 21/03/2023 as per vide ref. no. 2. During the course of personal Hearing, issues related with pollution problems of your industry were discussed in detail. Considering your assurances to improve Environment in your industry, following Interim directions are issued under Section 33A of the Water (P & CP) Act, 1974 & 31A of the Air (P&CP) Act, 1981 for compliance.

1. You shall upgrade existing dust collection system provide to MHP Plant within 01 Month.
2. You shall provide metallic road in the premises of stone crusher / HMP / RMC within 01 Month.
3. You shall provide GI Sheet covering to vibrating screen and at jaw crusher within 01 Month.
4. You shall provide water sprinkling arrangement at Jaw Crusher within 01 Month.
5. You shall submit CGWA NOC for ground water extraction within 15 days.
6. You shall undertake massive tree plantation within 01 Month.
7. You shall increase stack height attached to hot mix plant upto 11 mtrs and shall provide port hole, ladder platform system for collection of source emission sample within 01 Month.
8. You shall provide water sprinkling arrangement on hard dust heap within 01 Month.

9. You shall provide closed bunker arrangement for collection of fine dust to avoid dust emission within 01 Month.
10. You shall provide proper dust collection arrangement to RMC silo within 01 Month.
11. You shall provide water sprinkling fogging arrangement on reach conveyor belt within 01 Month.
12. You shall operate all APC system round o'clock.
13. You shall submit Bank Guarantee of Rs. 1,00,000/- within 15 days for compliance of above said direction.

**In case, you fail to comply with the above Directions, the Board will have no option than to forfeit the Bank Guarantee and issue final directions as deemed fit in your case, along with suitable legal action which may please be noted.**

For & behalf of the  
Maharashtra Pollution Control Board

  
(A.M. Kare)

Regional Officer, Nagpur

**Copy submitted for favor of information to:**

- 1) Hon'ble Member Secretary, M.P.C. Board, Mumbai
- 2) The Joint Director (WPC) M.P.C. Board, Mumbai
- 3) Sr. Law Officer (HQ) M.P.C. Board, Mumbai.

Copy to: Sub-Regional Officer, M.P.C. Board, Nagpur-I.

You are directed to serve the copy of direction to the industry and ensure the Compliance.