

# MAHARASHTRA POLLUTION CONTROL BOARD

## Regional Office, Nagpur

Website : [mpcb.mah.nic.in](http://mpcb.mah.nic.in)  
E-Mail : [ronagpur@mpcb.gov.in](mailto:ronagpur@mpcb.gov.in)  
Fax : 2560851  
Phone : 2565308, 2560139



Regional Office,  
5<sup>th</sup> Floor, Udyog Bhawan,  
Civil Lines,  
Nagpur.-440 001.

"Your Service is Our Duty"

No. MPCB/ID/2503110015

Date: 11/03/2025

To,  
M/s. Akash Minerals.,  
Sr. No. 536/2, Pachgaon,  
Tq. Umred, Dist. Nagpur.

Sub: Interim Direction under Section 33A of the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981.


Ref: 1. Proposed Direction issued vide no MPCB/PD/2502270026  
dtd 27/02/2025.  
2. Personal Hearing extended to you on 05/03/2025.

The Board had issued Proposed Direction vide letter cited at ref. (1) to your stone crusher under Section 33A of the Water (P& CP) Act 1974 and under Section 31A of the Air (P&CP) Act, 1981. As a principle of natural justice, a personal hearing was extended to you on 05/03/2025 and the following Interim directions are issued under Section 33A of the Water (P & CP) Act, 1974 & 31A of the Air (P&CP) Act, 1981 for compliance.

1. You shall submit application for renewal of consent within 07 days positively.
2. You shall provide GI sheet covering to jaw crusher, screen classifier and conveyor belt within 01 Month.
3. You shall provide water sprinkling arrangements at jaw crusher and premises of stone crusher to avoid dust emissions during operation of stone crusher and vehicular movements, within 15 days.
4. You shall provide wind breaking wall & metallic road within the stone crusher premises, in 01 Month.
5. You shall carry out tree plantation along the periphery & inside boundary of stone crusher premises, having a minimum width of 5 meters, on all sides in the upcoming monsoon season.
6. You should provide a display board at the entrance of the stone crusher including Survey number, name and address of owner and the unit, within 15 days.
7. You shall provide barricading i.e. compound walls around the stone crusher within 03 Month.
8. You shall submit irrevocable Bank Guarantee of Rs. 50,000/- within 15 days, towards compliance of above interim direction. If you have failed to submit B.G. within, stipulated time will imposed 12% interest on B.G. as per Board Circular dtd 29/02/2024.

**In case, you fail to comply with the above Directions, the Board will have no option than to forfeit the Bank Guarantee and issue final directions as deemed fit in your case, along with suitable legal action which may please be noted.**

For and behalf of the  
Maharashtra Pollution Control Board



(Hema Deshpande)  
Regional Officer, Nagpur

**Copy submitted for favor of information to:**

- 1) Hon'ble Member Secretary, M.P.C. Board, Mumbai
- 2) The Joint Director (WPC) M.P.C. Board, Mumbai
- 3) Sr. Law Officer (HQ) M.P.C. Board, Mumbai.

Copy to: Sub-Regional Officer, M.P.C. Board, Nagpur-II.

You are directed to serve the copy of direction to the industry and ensure the Compliance.