

# MAHARASHTRA POLLUTION CONTROL BOARD

## REGIONAL OFFICE-KALYAN

Tel. No. (0251) 2310167/2310212  
Fax No. (0251) 2310192  
Visit us on: <http://mpcb.gov.in>  
E.mail: [rokalyan@mpcb.gov.in](mailto:rokalyan@mpcb.gov.in)



"Your Service is our Duty"

Siddhivinayak Sankul,  
3<sup>rd</sup> Floor, Near Oak Baug,  
Station Road,  
Kalyan (West) – 421 301.

NO. MPCB/ROK/PDI/2206230006

Date: 23/06/2022

To

M/s. Nandi Palace,  
Plot no. P-10, MIDC, Ph-I,  
Opp. Vicco Labs, Vicco Naka,  
Dombivli, Dist.- Thane.

**Sub:** Proposed Directions under section 33 (A) of Water (Prevention & Control of Pollution) Act, 1974 and/or u/s. 31A of Air (Prevention & Control of Pollution) Act, 1981 read with the Hazardous and Other Waste (Management and Transboundary Movement) Rules 2016.

**Ref:** 1) Harmonization of classification of Industries sectors issued by CPCB revised direction dt 07/03/2016.  
2) Visit of Board officials to your unit vide dtd. 06/05/2022.  
3) Proposal for action received from SRO Kalyan-1 vide number MPCB-LEGAL\_ACTIONS-060622015

.....  
**WHEREAS**, the Maharashtra Pollution Control Board has granted you Combined Consent under the provisions of the Water (P&CP) Act, 1974 and the Air (P&CP) Act, 1981 and Authorization under the provisions of the Hazardous & Other Wastes (Management & Trans boundary Movement) Rules, 2016, subject to certain terms & conditions.


**AND WHEREAS**, it was obligatory on your part to provide adequate and suitable pollution treatment & disposal arrangements, so as to achieve the standards prescribed in the consent and to dispose of it in accordance with the condition laid down for disposal in the consent.

**AND WHEREAS**, this office has received proposal from Sub-Regional Office, MPCB, Kalyan-1 and observed following non-compliance

- 1) You are operating hotel and restaurant activity without obtaining Consent from MPC Board.
- 2) You have not provided sewage treatment plant for treatment of trade effluent and discharged in untreated sewage into CETP drainage line. During visit traces of oil were observed in CETP chamber.

**NOW THEREFORE**, in view of afore said facts, you are hereby directed to Show Cause as to why legal action should not be initiated against you under the provisions of Water (P & CP) Act, 1974 & Air (P & CP) Act, 1981.

Your reply shall reach this office within period of 03 days from date of receipt of this direction, you are hereby called upon to remain present for personal hearing on 27/06/2022 at 3:30 pm along with relevant documents/ reply failing which, the Board will have no option then to initiate appropriate legal action against you, which please note.

  
Regional Officer, Kalyan.

**Copy submitted to:-** Assistant Secretary (Tech.), MPC Board, Mumbai – for information.