



MAHARASHTRA POLLUTION CONTROL BOARD		
Tel.No. (0240) 29930004	 "Your Service is our Duty"	Regional Office, Paryavaran Bhavan, A-4/1, MIDC Area, Chikalthana, Behind Daynik Lokpatra, Near Seth Nandlal Dhoot Hospital, Jalna Road, Aurangabad-431 210.
Visit us at www.mpcb.gov.in		
E-mail: roaurangabad@mpcb.gov.in		
 LIFE Lifestyle for Environment		

By R.P.A.D./FAX/HAND DELIVERY:

No. MPCB/RO-Chh.S/CD/ 2404190001 /2024

Date:- 19/04/2024

To,

M/s. Maya Pyrolysis Oil Pvt. Ltd.,

Gat no. 179/1, Mauje Chitepimpalgaon-431010

Dist- Chh.Sambhajinagar.

Sub: - Closure Directions u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 **and/or** u/s 31A of the Air (Prevention & Control of Pollution) Act, 1981.

- Ref:-
1. Complaint received from Jagan Hiwale Salve, Nandu Hiwale and others Navbharat Abhiyan regarding Pollution from the Industry.
 2. Visit of Board officials to the unit dtd-16/01/2024.
 3. Warning Notice Issued By Sub-Regional Officer dtd-06/02/2024.
 4. Proposed directions issued by the Board dtd-04/03/2024.
 5. Approval for Closure received from Hq dtd-06/04/2024.
-

WHEREAS, it is obligatory on your part to obtain Consent to Establish and Consent to Operate from the Maharashtra Pollution Control Board under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981 & Authorization under the provisions of the Hazardous and Other Wastes (Management and Trans-boundary Movement) Rules, 2016. It is also obligatory on your part to provide adequate pollution control devices.

AND WHEREAS, the Board has received a complaint reg. Pollution caused by the industry.

AND WHEREAS, in order to verify the complaint or news, the officials of the Board at the unit. have visited the site at Gat no. 179/1, Mauje Chitepimpalgaon-431010, on 16/01/2024. and observed as follows:

- i. You are operating the industry without obtaining Consent to Establish and operate from Board.
- ii. You have not provided effluent treatment plant for effluent generated from your unit.
- iii. You are discharging the untreated effluent in the surrounding area.
- iv. You have not provided Air Pollution Control arrangement.
- v. You have not provided storage arrangement for tyre ash, and during the visit the tyre ash found lying haphazardly on over the premises.
- vi. You are not following the SOP for tyre Pyrolysis issued by CPCB.
- vii. You have not done tree plantation around your premises.

AND WHEREAS, the Maharashtra Pollution Control Board has issued proposed directions vide letter dated 04/03/2024 to you and directed to Show Cause as to ..

- a. Why your industrial activity shall not be closed forthwith?
- b. Why the competent authority shall not be directed to disconnect water/electric supply to your unit?


AND WHEREAS, in response to the proposed directions, you have failed to submit reply to the proposed directions within stipulated time.

AND WHEREAS, in spite of giving reasonable opportunity, after examining the record of your case and the reports of the officers of the Board, it has been observed that you are operating your unit without obtaining consent from the Board under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981 and adequate pollution control devices, thereby discharging untreated effluent into the nearby low-lying areas nalla, discharging air emission without prior air pollution control system and thereby causing water/air pollution into the environment, affecting health of citizens.

NOW THEREFORE, in view of the above non-compliances, you are hereby directed to stop your manufacturing activities forthwith, failing which, the Board will have no option than to initiate appropriate legal action under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981.

It is not expedient and proper to give you further opportunity of hearing in view of earlier above sufficient renewable opportunities are given to you to comply with the provisions of Water Act & Air Act as well as Hazardous and other waste (Management and Handling) Rules 2016.

This direction is issued with the approval of Competent authority of Board.

 19.04.2024
(Manish Holkar)

Regional Officer-Chh.Sambhajinagar

Copy submitted for information to: The Member Secretary, MPCB, Mumbai

Copy f.w.cs.to:-

1. Principal Scientific Officer (HoD)/Law Officer (P & L Division), MPCB, Mumbai
2. The Executive Engineer / Addl. Engineer, Maharashtra State Electricity Distribution Co. Ltd., Mauje Chitepimpalgaon area.- He is directed to disconnect electricity supply to the aforesaid unit forthwith & inform this office accordingly.
3. Sarpanch/ Gramsevak ,Mauje Chitepimpalgaon -Water Supply- He is directed to disconnect water supply to the aforesaid unit forthwith & inform this office accordingly.

Copy to: The Sub Regional Officer, MPCB- - He is directed to take follow up and ensure the compliance of the aforesaid directions. He is directed to ensure that these Directions to be served to the industry and competent authorities & submit the verification report till compliance with dully supported by photograph and documentary evidence about non- compliances if any.